

Appendix G - Noise Monitoring Results

Location NC1 - True Light Middle School of Hong Kong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	13:00	Sunny	71.3	72.5	64.7	70.2	64.8
12-Apr-11	17:00	Sunny	65.3	67.2	59.7		65.3 Measured ≤ Baseline
19-Apr-11	16:45	Sunny	66.2	67.7	59.5		66.2 Measured ≤ Baseline
27-Apr-11	13:01	Sunny	71.3	69.7	62.8		64.8

Location NC2 - The Legend							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	13:42	Sunny	70.5	71.9	65.8	64.8	69.1
12-Apr-11	16:15	Sunny	64.7	66.8	61.6		64.7
19-Apr-11	16:00	Sunny	69.4	71.1	61.3		67.6
27-Apr-11	13:40	Sunny	70.5	72.3	69.8		69.1

Location NC3 - Outside Aegean Terrace							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	8:00	Sunny	51.8	53.7	46.5	57.7	51.8 Measured ≤ Baseline
12-Apr-11	8:00	Sunny	51.4	53.9	47.1		51.4 Measured ≤ Baseline
19-Apr-11	7:30	Sunny	51.8	54.2	47.3		51.8 Measured ≤ Baseline
27-Apr-11	8:10	Sunny	51.3	54.3	48.2		51.3 Measured ≤ Baseline

Location NC4 - Man Yuen Garden							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	13:00	Sunny	71.3	74.6	67.2	64.5	70.3
12-Apr-11	13:00	Sunny	70.1	72.6	65.8		68.7
19-Apr-11	13:00	Sunny	71.2	73.6	66.8		70.2
27-Apr-11	13:05	Sunny	70.8	73.9	65.9		69.6

Location NC5 - Blk D Villa Monte Rosa							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	9:40	Sunny	66.6	69.0	60.7	66.1	57.0
12-Apr-11	9:40	Sunny	66.5	69.0	60.7		55.9
19-Apr-11	9:05	Sunny	67.2	70.1	60.8		60.7
27-Apr-11	9:40	Sunny	67.8	69.4	61.2		62.9

Location NC6 - Rosaryhill School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	10:15	Sunny	64.2	66.7	60.2	64.1	47.8
12-Apr-11	10:10	Sunny	65.0	67.2	59.9		57.7
19-Apr-11	9:40	Sunny	64.5	66.9	58.7		53.9
27-Apr-11	10:15	Sunny	66.1	67.2	59.9		61.8

Location NC7 - Buddhist Li Ka Shing Care & Attention Home for the Elderly							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	14:35	Sunny	70.9	71.8	68.7	65.1	69.6
12-Apr-11	15:15	Sunny	70.1	72.6	63.6		68.4
19-Apr-11	15:15	Sunny	69.7	71.4	62.7		67.9
27-Apr-11	16:35	Sunny	72.8	74.5	69.7		72.0

Appendix G - Noise Monitoring Results

Location NC8 - Marymount Secondary School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	16:30	Sunny	66.8	75.5	64.7	63.5	64.1
12-Apr-11	14:25	Sunny	66.9	68.4	61.5		64.2
19-Apr-11	13:45	Sunny	63.2	65.8	57.3		63.2 Measured ≤ Baseline
27-Apr-11	14:30	Sunny	66.6	74.7	64.5		63.7

Location NC9 - 117 Blue Pool Road							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	15:04	Sunny	67.2	73.7	63.5	63.3	64.9
12-Apr-11	13:45	Sunny	67.3	68.6	64.6		65.1
19-Apr-11	14:25	Sunny	64.1	66.4	58.1		56.4
27-Apr-11	15:05	Sunny	69.9	77.3	68.5		68.8

Location NC10 - The Harbour View							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	11:20	Sunny	71.1	74.2	66.8	71.7	71.1 Measured ≤ Baseline
12-Apr-11	11:20	Sunny	71.3	74.5	66.8		71.3 Measured ≤ Baseline
19-Apr-11	10:35	Sunny	70.4	73.8	66.9		70.4 Measured ≤ Baseline
27-Apr-11	11:20	Sunny	71.9	73.6	66.8		58.4

Location NC11 - Honey Court							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	8:50	Sunny	66.2	67.8	61.8	63.2	63.2
12-Apr-11	8:45	Sunny	66.3	68.2	61.1		63.4
19-Apr-11	8:15	Sunny	68.0	69.8	61.2		66.3
27-Apr-11	8:50	Sunny	66.9	68.8	62.1		64.5

Location NC12 - Ying Wa Girl's School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	13:50	Sunny	67.8	70.2	63.9	67.1	59.5
12-Apr-11	13:45	Sunny	64.7	67.5	62.9		64.7 Measured ≤ Baseline
19-Apr-11	13:50	Sunny	66.1	69.2	63.5		66.1 Measured ≤ Baseline
27-Apr-11	13:50	Sunny	66.2	69.1	62.8		66.2 Measured ≤ Baseline

Location NC13 - Peakville Court							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	14:30	Sunny	66.7	68.9	60.1	65.2	61.4
12-Apr-11	18:15	Sunny	66.2	68.8	60.4		59.3
19-Apr-11	18:10	Sunny	65.4	68.9	60.2		51.9
27-Apr-11	14:30	Sunny	67.2	71.3	60.2		62.9

Appendix G - Noise Monitoring Results

Location NC14 - Hong Kong Japanese School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	15:45	Sunny	64.5	71.3	62.7	60.8	62.1
12-Apr-11	13:00	Sunny	65.8	72.3	63.9		64.1
19-Apr-11	13:00	Sunny	65.3	69.5	61.7		63.4
27-Apr-11	15:47	Sunny	66.0	73.5	62.3		64.4

Location NC15 - Hong Kong Academy							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	17:35	Sunny	64.1	68.2	62.8	63.5	55.2
12-Apr-11	17:30	Sunny	66.5	68.3	62.6		63.5
19-Apr-11	16:55	Sunny	66.3	68.5	63.1		63.1
27-Apr-11	17:35	Sunny	66.3	69.2	60.9		63.1

Location NC16 - Raimondi College							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	15:20	Sunny	63.8	65.5	58.2	70.4	63.8 Measured ≤ Baseline
12-Apr-11	15:15	Sunny	64.7	66.2	57.9		64.7 Measured ≤ Baseline
19-Apr-11	14:45	Sunny	65.2	67.2	58.9		65.2 Measured ≤ Baseline
27-Apr-11	15:20	Sunny	63.2	65.7	58.2		63.2 Measured ≤ Baseline

Location NC17 - Hong Kong Institute of Technology							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	16:10	Sunny	68.2	72.1	66.1	66.0	64.2
12-Apr-11	16:05	Sunny	67.9	70.7	64.2		63.4
19-Apr-11	15:30	Sunny	67.9	69.5	64.5		63.4
27-Apr-11	16:10	Sunny	68.2	71.3	64.8		64.2

Location NC18 - Blk A, 80 Robinson Road							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	16:50	Sunny	71.5	74.3	67.1	64.8	70.5
12-Apr-11	16:40	Sunny	71.3	74.4	67.3		70.2
19-Apr-11	16:15	Sunny	71.2	74.5	67.3		70.1
27-Apr-11	16:45	Sunny	71.2	73.9	66.9		70.1

Location NC19 - Villa Veneto							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	9:05	Sunny	65.7	67.8	59.7	68.6	65.7 Measured ≤ Baseline
12-Apr-11	11:00	Sunny	61.7	63.6	58.1		61.7 Measured ≤ Baseline
19-Apr-11	11:15	Sunny	62.9	63.6	55.7		62.9 Measured ≤ Baseline
27-Apr-11	10:35	Sunny	67.7	69.5	62.5		67.7 Measured ≤ Baseline

Location GNC7 - Hong Villa							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
7-Apr-11	10:35	Sunny	57.1	59.2	55.8		
12-Apr-11	09:30	Sunny	62.1	63.6	59.4		
19-Apr-11	9:30	Sunny	60.8	61.3	53.3		
27-Apr-11	9:00	Sunny	57.6	59.7	55.7		

Appendix G - Noise Monitoring Results

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC1a - Outside True Light Middle School of Hong Kong											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	(Reference) Baseline Level	(Reference) Construction Noise Level, L _{eq}			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}				
3-Apr-11	9:30	Sunny	66.4	69.3	63.9	67.0	65.8	60.8			
	9:35		67.1	69.6	64.2						
	9:40		67.3	69.8	64.5						
7-Apr-11	19:30	Fine	66.1	68.9	64.0	65.8		65.8	65.8 Measured ≤ Baseline		
	19:35		65.6	68.6	63.7						
	19:40		65.8	69.2	63.9						
10-Apr-11	9:15	Sunny	66.9	69.1	65.4	67.0			65.8	60.8	
	9:20		67.2	69.5	65.7						
	9:25		67.0	69.4	65.7						
12-Apr-11	19:00	Fine	67.5	68.4	64.7	67.1				65.8	61.2
	19:05		67.1	68.3	63.4						
	19:10		66.8	68.3	62.7						
17-Apr-11	10:00	Cloudy	64.8	66.7	62.0	65.1	65.8				65.1 Measured ≤ Baseline
	10:05		64.9	66.7	62.4						
	10:10		65.5	67.9	63.3						
19-Apr-11	19:00	Fine	66.9	70.5	61.4	66.9		65.8			60.4
	19:05		66.6	70.2	61.1						
	19:10		67.2	71.0	62.0						
24-Apr-11	10:10	Cloudy	65.7	67.9	61.4	65.2			65.8		65.2 Measured ≤ Baseline
	10:15		65.2	67.4	61.5						
	10:20		64.7	67.8	60.8						
27-Apr-11	19:35	Fine	66.8	68.9	64.5	66.1				65.8	54.3
	19:40		65.4	68.3	63.0						
	19:45		66.1	68.4	63.9						

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC2 - The Legend											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
3-Apr-11	10:00	Sunny	63.5	66.2	59.9	63.9	59.1	62.2			
	10:05		63.8	66.8	60.3						
	10:10		64.3	67.1	60.5						
7-Apr-11	19:00	Fine	64.1	65.9	61.0	63.3		59.1	61.2		
	19:05		63.2	64.7	60.4						
	19:10		62.6	64.5	59.8						
10-Apr-11	9:45	Sunny	62.4	66.3	60.5	62.6			59.1	60.0	
	9:50		62.4	66.4	60.5						
	9:55		62.9	66.9	61.1						
12-Apr-11	19:40	Fine	63.7	65.8	61.6	63.9				59.1	62.2
	19:45		64.1	66.2	61.9						
	19:50		63.9	65.9	61.9						
17-Apr-11	10:45	Cloudy	61.9	64.2	58.7	62.0	59.1				58.9
	10:50		62.2	64.4	58.9						
	10:55		62.0	64.2	58.6						
19-Apr-11	19:40	Fine	63.0	66.5	59.8	63.4		59.1			61.4
	19:45		63.4	66.9	60.4						
	19:50		63.7	67.2	60.6						
24-Apr-11	10:55	Cloudy	63.9	66.7	60.3	64.2			59.1		62.6
	11:00		64.2	67.2	60.9						
	11:05		64.5	67.8	61.0						
27-Apr-11	19:00	Fine	62.7	65.0	59.6	63.0				59.1	60.7
	19:05		63.2	65.6	59.8						
	19:10		63.2	66.3	60.1						

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC3 - Outside Aegean Terrace											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
3-Apr-11	11:00	Sunny	52.9	54.3	49.9	53.3	53.8	53.3 Measured ≤ Baseline			
	11:05		53.7	54.6	50.8						
	11:10		53.2	54.4	51.0						
7-Apr-11	20:20	Fine	52.8	54.5	50.4	53.3		53.8	53.3 Measured ≤ Baseline		
	20:25		53.6	55.1	50.8						
	20:30		53.6	54.8	50.6						
10-Apr-11	11:00	Sunny	54.6	56.9	52.4	54.1			53.8	42.3	
	11:05		53.7	55.4	52.0						
	11:10		53.8	55.6	52.0						
12-Apr-11	20:25	Fine	51.5	53.4	48.7	52.3				53.8	52.3 Measured ≤ Baseline
	20:30		52.4	54.3	49.2						
	20:35		52.8	54.7	50.1						
17-Apr-11	11:30	Cloudy	52.2	54.6	49.0	52.5	53.8				52.2 Measured ≤ Baseline
	11:35		52.2	54.8	49.1						
	11:40		53.1	55.0	49.9						
19-Apr-11	20:40	Fine	52.2	53.8	50.1	52.1		53.8			52.1 Measured ≤ Baseline
	20:45		52.3	53.6	49.9						
	20:50		51.7	53.2	49.4						
24-Apr-11	13:00	Cloudy	52.0	53.9	49.8	52.7			53.8		52.7 Measured ≤ Baseline
	13:05		52.9	55.0	50.1						
	13:10		53.1	55.6	50.9						
27-Apr-11	20:40	Fine	52.5	54.7	49.8	53.0				53.8	53.0 Measured ≤ Baseline
	20:45		53.6	55.3	50.4						
	20:50		52.9	55.0	49.9						

Appendix G - Noise Monitoring Results

(Restricted Hours - 23:00 to 07:00 on all days)

Location NC1a - Outside True Light Middle School of Hong Kong											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	(Reference) Baseline Level	(Reference) Construction Noise Level, L _{eq}			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
7-Apr-11	23:45	Fine	59.2	61.4	54.9	59.3	60.7	59.3 Measured ≤ Baseline			
	23:50		58.9	61.2	54.6						
	23:55		59.7	62.1	55.5						
12-Apr-11	23:35	Fine	60.4	62.1	57.6	60.2		60.7	60.2 Measured ≤ Baseline		
	23:40		59.8	62.0	57.8						
	23:45		60.5	62.3	58.0						
19-Apr-11	23:40	Fine	60.5	63.2	54.7	60.4			60.7	60.4 Measured ≤ Baseline	
	23:45		60.7	63.9	54.7						
	23:50		60.0	62.8	53.9						
27-Apr-11	23:40	Fine	59.4	62.3	55.0	60.0				60.7	60.0 Measured ≤ Baseline
	23:45		59.9	62.9	54.9						
	23:50		60.6	64.5	55.3						




(Restricted Hours - 23:00 to 07:00 on all days)

Location NC2 - The Legend											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
7-Apr-11	23:00	Fine	53.7	54.8	49.9	53.5	53.9	53.5 Measured ≤ Baseline			
	23:05		53.2	54.7	49.6						
	23:10		53.6	54.9	49.8						
12-Apr-11	23:00	Fine	53.4	55.6	50.7	53.6		53.9	53.6 Measured ≤ Baseline		
	23:05		53.6	55.6	50.6						
	23:10		53.8	55.9	50.4						
19-Apr-11	23:00	Fine	53.5	55.8	51.2	54.1			53.9	40.6	
	23:05		54.3	56.5	51.7						
	23:10		54.5	56.9	51.8						
27-Apr-11	23:00	Fine	53.2	54.1	49.1	52.8				53.9	52.8 Measured ≤ Baseline
	23:05		52.8	54.4	48.7						
	23:10		52.5	54.9	49.2						

(Restricted Hours - 23:00 to 07:00 on all days)




Location NC3 - Outside Aegean Terrace											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
8-Apr-11	0:35	Fine	51.7	52.6	48.8	51.2	52.0	51.2 Measured ≤ Baseline			
	0:40		51.4	52.3	49.5						
	0:45		50.3	52.0	48.7						
13-Apr-11	0:25	Fine	51.3	52.9	48.7	51.5		52.0	51.5 Measured ≤ Baseline		
	0:30		52.2	54.0	50.6						
	0:35		50.9	52.4	48.1						
20-Apr-11	0:35	Fine	51.1	52.9	48.5	50.9			52.0	50.9 Measured ≤ Baseline	
	0:40		50.6	52.2	48.3						
	0:45		51.0	52.5	48.7						
28-Apr-11	0:50	Fine	50.4	52.3	48.9	51.2				52.0	51.2 Measured ≤ Baseline
	0:55		51.4	53.1	49.2						
	1:00		51.7	53.5	49.3						

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Apr 11	Appendix G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Apr 11	Appendix G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Apr 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Apr 11	Appendix	G	

Noise Levels





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Apr 11	Appendix G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Apr 11	Appendix G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Apr 11	Appendix	G	

Noise Levels
(Restricted Hours - 07:00 - 23:00 holidays & 19:00 - 23:00 on all other days)



Title	Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Graphical Presentation of Construction Noise Monitoring Results	Date	Apr 11	Appendix	G	

Noise Levels (Restricted Hours - 23:00 to 07:00 on all days)



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Apr 11	Appendix	G	