

Appendix G - Noise Monitoring Results

Location NC1 - True Light Middle School of Hong Kong								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	17:00	Sunny	71.8	75.5	62.4	70.0	69.7	67.6
9-Aug-11	15:30	Cloudy	69.3	71.6	65.8	70.0	N/A	N/A
18-Aug-11	16:55	Sunny	66.8	69.3	64.0	70.0	N/A	N/A
23-Aug-11	16:45	Sunny	69.8	72.7	63.1	70.0	N/A	N/A
30-Aug-11	16:45	Sunny	62.7	65.2	58.7	70.0	N/A	N/A

Location NC2 - The Legend								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	13:00	Sunny	72.0	74.8	61.6	75.0	N/A	N/A
9-Aug-11	16:15	Cloudy	71.5	73.8	68.1		N/A	N/A
18-Aug-11	16:10	Sunny	68.3	69.9	66.0		N/A	N/A
23-Aug-11	13:00	Sunny	64.0	65.8	61.8		N/A	N/A
30-Aug-11	16:00	Sunny	60.2	62.1	57.7		N/A	N/A

Location NC3 - Outside Aegean Terrace								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	8:00	Sunny	52.7	54.6	48.4	75.0	N/A	N/A
9-Aug-11	8:00	Sunny	52.3	54.6	48.7		N/A	N/A
18-Aug-11	8:00	Sunny	51.7	53.8	46.7		N/A	N/A
23-Aug-11	8:00	Sunny	51.3	53.8	47.8		N/A	N/A
30-Aug-11	8:00	Sunny	69.3	72.1	66.3		N/A	N/A

Location NC4 - Man Yuen Garden								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	13:00	Sunny	70.2	73.4	68.2	75.0	N/A	N/A
9-Aug-11	13:00	Sunny	70.2	73.9	67.3		N/A	N/A
18-Aug-11	13:00	Sunny	71.4	74.6	67.5		N/A	N/A
23-Aug-11	13:00	Sunny	72.3	74.1	67.8		N/A	N/A
30-Aug-11	13:00	Sunny	67.4	69.3	65.8		N/A	N/A

Location NC5 - Blk D Villa Monte Rosa								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	9:30	Sunny	66.9	69.8	63.2	75.0	N/A	N/A
9-Aug-11	9:40	Sunny	65.7	68.2	62.4		N/A	N/A
18-Aug-11	9:40	Sunny	67.1	69.2	60.5		N/A	N/A
23-Aug-11	9:40	Sunny	67.6	69.2	60.5		N/A	N/A
30-Aug-11	9:40	Sunny	62.5	64.3	59.8		N/A	N/A

Location NC6 - Rosaryhill School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	10:05	Sunny	67.2	70.1	64.5	70.0	N/A	N/A
9-Aug-11	10:15	Sunny	65.2	67.9	61.3	70.0	N/A	N/A
18-Aug-11	10:15	Sunny	64.2	66.5	60.1	70.0	N/A	N/A
23-Aug-11	10:15	Sunny	64.2	67.8	60.9	70.0	N/A	N/A
30-Aug-11	10:15	Sunny	62.8	64.5	59.6	70.0	N/A	N/A

Location NC7 - Buddhist Li Ka Shing Care & Attention Home for the Elderly								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	16:15	Sunny	74.2	78.0	70.6	75.0	N/A	N/A
9-Aug-11	15:15	Cloudy	74.6	78.1	71.5		N/A	N/A
18-Aug-11	15:25	Sunny	74.4	76.3	71.1		N/A	N/A
23-Aug-11	16:00	Sunny	74.7	77.5	69.8		N/A	N/A
30-Aug-11	8:45	Sunny	73.4	76.9	70.3		N/A	N/A

Appendix G - Noise Monitoring Results

Location NC8 - Marymount Secondary School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	15:30	Sunny	69.7	71.0	67.0	70.0	N/A	N/A
9-Aug-11	14:10	Sunny	69.0	72.1	62.1	70.0	N/A	N/A
18-Aug-11	14:30	Sunny	68.8	70.3	64.1	70.0	N/A	N/A
23-Aug-11	15:15	Sunny	69.3	72.5	66.4	70.0	N/A	N/A
30-Aug-11	9:30	Sunny	68.3	70.8	66.0	70.0	N/A	N/A

Location NC9 - 117 Blue Pool Road								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	14:45	Sunny	68.6	71.1	64.5	75.0	N/A	N/A
9-Aug-11	14:45	Sunny	71.7	73.3	66.2		N/A	N/A
18-Aug-11	13:50	Sunny	70.6	72.7	68.3		N/A	N/A
23-Aug-11	14:30	Sunny	69.2	71.3	62.2		N/A	N/A
30-Aug-11	13:00	Sunny	70.2	73.5	68.1		N/A	N/A

Location NC10 - The Harbour View								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	10:50	Sunny	72.3	75.4	69.2	75.0	N/A	N/A
9-Aug-11	11:20	Sunny	70.5	74.3	65.4		N/A	N/A
18-Aug-11	11:20	Sunny	71.2	74.3	65.3		N/A	N/A
23-Aug-11	11:20	Sunny	72.1	74.8	66.7		N/A	N/A
30-Aug-11	11:20	Sunny	71.2	74.3	68.9		N/A	N/A

Location NC11 - Honey Court								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	8:50	Sunny	67.2	69.3	61.4	75.0	N/A	N/A
9-Aug-11	8:00	Sunny	65.2	68.7	64.6		N/A	N/A
18-Aug-11	8:50	Sunny	66.2	67.5	61.7		N/A	N/A
23-Aug-11	8:50	Sunny	67.2	68.9	62.8		N/A	N/A
30-Aug-11	8:50	Sunny	66.9	68.8	63.2		N/A	N/A

Location NC12 - Ying Wa Girl's School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	13:50	Sunny	68.2	71.2	64.8	70.0	N/A	N/A
9-Aug-11	13:50	Sunny	66.7	69.2	63.1	70.0	N/A	N/A
18-Aug-11	13:50	Sunny	68.1	70.2	63.8	70.0	N/A	N/A
23-Aug-11	13:50	Sunny	67.5	70.3	64.9	70.0	N/A	N/A
30-Aug-11	13:50	Sunny	65.8	67.9	63.1	70.0	N/A	N/A

Location NC13 - Peakville Court								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	14:30	Sunny	64.2	67.8	60.6	75.0	N/A	N/A
9-Aug-11	14:30	Sunny	64.9	70.1	64.2		N/A	N/A
18-Aug-11	14:30	Sunny	63.7	65.1	58.9		N/A	N/A
23-Aug-11	14:30	Sunny	64.8	65.9	59.3		N/A	N/A
30-Aug-11	14:30	Sunny	64.1	66.5	62.0		N/A	N/A

Appendix G - Noise Monitoring Results

Location NC14 - Hong Kong Japanese School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	14:00	Sunny	67.2	68.6	65.2	70.0	N/A	N/A
9-Aug-11	13:30	Sunny	65.5	66.5	63.0	70.0	N/A	N/A
18-Aug-11	13:00	Sunny	64.9	67.2	61.5	70.0	N/A	N/A
23-Aug-11	13:45	Sunny	69.2	75.3	67.7	70.0	N/A	N/A
30-Aug-11	13:50	Sunny	64.1	66.7	62.5	70.0	N/A	N/A

Location NC15 - Hong Kong Academy								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	18:00	Sunny	66.7	69.2	64.8	70.0	N/A	N/A
9-Aug-11	17:50	Sunny	66.9	68.2	64.3	70.0	N/A	N/A
18-Aug-11	17:35	Sunny	67.8	68.1	62.3	70.0	N/A	N/A
23-Aug-11	15:35	Sunny	68.7	70.5	62.8	70.0	N/A	N/A
30-Aug-11	17:35	Sunny	65.7	67.1	61.4	70.0	N/A	N/A

Location NC16 - Raimondi College								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	15:20	Sunny	67.2	68.9	57.4	70.0	N/A	N/A
9-Aug-11	15:20	Sunny	64.2	67.3	60.9	70.0	N/A	N/A
18-Aug-11	15:20	Sunny	63.9	67.8	64.9	70.0	N/A	N/A
23-Aug-11	15:20	Sunny	63.8	67.5	63.2	70.0	N/A	N/A
30-Aug-11	15:20	Sunny	66.1	69.3	63.5	70.0	N/A	N/A




Location NC17 - Hong Kong Institute of Technology								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	16:10	Sunny	68.2	73.6	64.3	70.0	N/A	N/A
9-Aug-11	16:10	Sunny	68.7	73.2	65.2	70.0	N/A	N/A
18-Aug-11	16:10	Sunny	69.7	72.5	66.9	70.0	N/A	N/A
23-Aug-11	16:10	Sunny	70.5	73.1	66.2	70.0	65.9	68.7
30-Aug-11	16:10	Sunny	67.3	70.1	64.2	70.0	N/A	N/A

Location NC18 - Blk A, 80 Robinson Road								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	16:50	Sunny	69.2	73.6	65.2	75.0	N/A	N/A
9-Aug-11	16:50	Sunny	68.2	72.8	65.3		N/A	N/A
18-Aug-11	16:50	Sunny	71.8	74.5	67.5		N/A	N/A
23-Aug-11	16:50	Sunny	72.3	74.5	67.8		N/A	N/A
30-Aug-11	16:50	Sunny	65.4	68.1	61.7		N/A	N/A

Location NC19 - Villa Veneto								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level ⁽¹⁾	Corrected Measured Noise Level ⁽²⁾
			L _{eq}	L ₁₀	L ₉₀			
2-Aug-11	9:00	Sunny	64.2	66.4	61.5	75.0	N/A	N/A
9-Aug-11	14:15	Cloudy	64.6	66.7	61.2		N/A	N/A
18-Aug-11	9:40	Sunny	68.5	70.3	66.1		N/A	N/A
23-Aug-11	9:00	Sunny	63.4	66.1	59.8		N/A	N/A
30-Aug-11	14:40	Sunny	69.9	72.2	67.1		N/A	N/A




Location GNC7 - Hong Villa					
Date	Time	Weather	Unit: dB (A) (30-min)		
			Measured Noise Level		
			L _{eq}	L ₁₀	L ₉₀
2-Aug-11	10:30	Sunny	60.2	59.7	53.4
9-Aug-11	13:10	Cloudy	56.1	57.5	51.0
18-Aug-11	11:00	Sunny	63.7	65.2	61.6
23-Aug-11	10:00	Sunny	56.4	55.7	51.3
30-Aug-11	14:00	Sunny	56.7	57.6	51.4

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	

Noise Levels





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	

Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	

Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Aug 11	Appendix	G	