

Appendix G - Noise Monitoring Results

Location NC1 - True Light Middle School of Hong Kong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	15:45	Sunny	68.2	70.8	64.4	70.2	68.2 Measured ≤ Baseline
8-Feb-11	13:00	Sunny	60.9	63.1	56.7		60.9 Measured ≤ Baseline
14-Feb-11	13:00	Cloudy	71.3	69.3	62.1		64.8
22-Feb-11	13:00	Sunny	71.3	74.5	64.2		68.1

Location NC2 - The Legend							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	16:30	Sunny	65.3	67.7	61.1	64.8	55.7
8-Feb-11	13:35	Sunny	61.8	63.7	59.5		61.8 Measured ≤ Baseline
14-Feb-11	13:40	Cloudy	65.4	67.2	62.2		56.5
22-Feb-11	13:40	Sunny	72.4	75.3	64.0		71.6

Location NC3 - Outside Aegean Terrace							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	8:20	Cloudy	53.7	55.7	50.2	57.7	53.7 Measured ≤ Baseline
8-Feb-11	17:40	Cloudy	52.3	54.3	49.7		52.3 Measured ≤ Baseline
14-Feb-11	8:20	Cloudy	53.0	54.9	50.0		53.0 Measured ≤ Baseline
22-Feb-11	8:20	Cloudy	53.7	55.5	49.7		53.7 Measured ≤ Baseline

Location NC4 - Man Yuen Garden							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	13:00	Sunny	70.9	73.7	65.6	64.5	69.8
8-Feb-11	8:20	Cloudy	66.7	69.3	63.4		62.7
14-Feb-11	13:00	Cloudy	69.0	71.4	64.2		67.1
22-Feb-11	13:00	Cloudy	68.9	71.8	64.0		66.9

Location NC5 - Blk D Villa Monte Rosa							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	10:05	Sunny	63.3	65.5	58.8	66.1	63.3 Measured ≤ Baseline
8-Feb-11	9:10	Sunny	65.3	67.7	60.7		65.3 Measured ≤ Baseline
14-Feb-11	10:00	Cloudy	68.0	70.3	60.9		63.5
22-Feb-11	10:00	Cloudy	67.0	68.9	62.0		59.7

Location NC6 - Rosaryhill School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	10:45	Sunny	62.3	64.1	57.0	64.1	62.3 Measured ≤ Baseline
8-Feb-11	9:50	Sunny	63.0	65.1	58.7		63.0 Measured ≤ Baseline
14-Feb-11	10:40	Cloudy	64.7	66.6	59.0		55.8
22-Feb-11	10:40	Cloudy	65.3	67.4	61.7		59.1

Location NC7 - Buddhist Li Ka Shing Care & Attention Home for the Elderly							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	13:10	Sunny	64.4	65.9	60.8	65.1	64.4 Measured ≤ Baseline
8-Feb-11	16:15	Sunny	67.0	67.9	65.8		62.5
14-Feb-11	14:32	Cloudy	74.8	76.3	69.8		74.3
22-Feb-11	17:20	Sunny	63.9	65.6	59.6		63.9 Measured ≤ Baseline

Appendix G - Noise Monitoring Results

Location NC8 - Marymount Secondary School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11			Site Closed				
8-Feb-11	15:05	Sunny	66.7	73.5	64.0	63.5	63.9
14-Feb-11	14:30	Cloudy	65.5	68.5	58.7		61.2
22-Feb-11	15:25	Sunny	67.0	73.6	64.2		64.4

Location NC9 - 117 Blue Pool Road							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11			Site Closed				
8-Feb-11	14:30	Sunny	66.2	73.4	64.0	63.3	63.1
14-Feb-11	15:02	Cloudy	74.1	77.2	66.7		73.7
22-Feb-11	15:58	Sunny	68.9	74.7	65.3		67.5

Location NC10 - The Harbour View							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	11:35	Sunny	71.4	74.5	66.7	71.7	71.4 Measured ≤ Baseline
8-Feb-11	16:55	Cloudy	71.0	72.7	66.2		71.0 Measured ≤ Baseline
14-Feb-11	11:35	Cloudy	71.3	74.4	67.0		71.3 Measured ≤ Baseline
22-Feb-11	11:30	Cloudy	70.9	73.7	66.7		70.9 Measured ≤ Baseline

Location NC11 - Honey Court							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	9:15	Sunny	64.8	66.7	58.9	63.2	59.7
8-Feb-11	15:15	Sunny	66.0	68.5	63.0		62.8
14-Feb-11	9:10	Cloudy	65.1	67.5	62.1		60.6
22-Feb-11	9:15	Cloudy	66.0	68.1	63.2		62.8

Location NC12 - Ying Wa Girl's School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	14:00	Sunny	65.2	67.7	60.9	67.1	65.2 Measured ≤ Baseline
8-Feb-11	13:00	Sunny	64.7	67.5	60.9		64.7 Measured ≤ Baseline
14-Feb-11	13:45	Cloudy	64.8	67.6	60.4		64.8 Measured ≤ Baseline
22-Feb-11	13:45	Cloudy	65.7	68.4	62.6		65.7 Measured ≤ Baseline

Location NC13 - Peaksville Court							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	14:45	Sunny	68.3	71.0	63.5	65.2	65.4
8-Feb-11	11:15	Sunny	68.6	70.9	63.0		65.9
14-Feb-11	14:30	Cloudy	70.1	72.4	63.7		68.4
22-Feb-11	14:30	Cloudy	69.0	71.5	64.0		66.7

Appendix G - Noise Monitoring Results

Location NC14 - Hong Kong Japanese School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	14:15	Sunny	63.3	65.7	60.3	60.8	59.7
8-Feb-11	15:45	Sunny	62.3	63.5	58.8		57.0
14-Feb-11	15:42	Cloudy	65.2	69.9	64.4		63.2
22-Feb-11	16:34	Sunny	65.4	68.4	58.9		63.6

Location NC15 - Hong Kong Academy							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	17:50	Cloudy	65.7	67.9	61.7	63.5	61.7
8-Feb-11	16:05	Sunny	66.2	68.8	63.7		62.9
14-Feb-11	17:30	Cloudy	66.0	68.6	62.5		62.4
22-Feb-11	17:15	Cloudy	65.9	68.5	62.6		62.2

Location NC16 - Raimondi College							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	15:30	Sunny	63.0	65.0	57.6	70.4	63.0 Measured ≤ Baseline
8-Feb-11	10:35	Sunny	63.7	65.8	59.0		63.7 Measured ≤ Baseline
14-Feb-11	15:15	Cloudy	64.0	66.5	58.9		64.0 Measured ≤ Baseline
22-Feb-11	15:15	Cloudy	65.3	67.2	60.9		65.3 Measured ≤ Baseline

Location NC17 - Hong Kong Institute of Technology							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	16:20	Sunny	67.0	69.4	64.0	66.0	60.1
8-Feb-11	13:45	Sunny	67.2	69.9	63.7		61.0
14-Feb-11	16:00	Cloudy	67.6	71.4	64.0		62.5
22-Feb-11	15:55	Cloudy	68.3	71.0	64.7		64.4

Location NC18 - Blk A, 80 Robinson Road							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	17:00	Cloudy	70.2	73.0	66.3	64.8	68.7
8-Feb-11	14:25	Sunny	69.6	72.4	65.3		67.9
14-Feb-11	16:40	Cloudy	72.0	75.1	67.6		71.1
22-Feb-11	16:35	Cloudy	71.4	74.5	67.0		70.3

Location NC19 - Villa Veneto							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	9:20	Sunny	64.7	67.1	60.5	68.6	64.7 Measured ≤ Baseline
8-Feb-11	10:30	Sunny	63.2	64.7	59.8		63.2 Measured ≤ Baseline
14-Feb-11	10:35	Cloudy	66.7	67.8	59.7		66.7 Measured ≤ Baseline
22-Feb-11	9:05	Sunny	64.5	67.3	58.8		64.5 Measured ≤ Baseline

Location GNC7 - Hong Villa							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L _{eq}	L ₁₀	L ₉₀	L _{eq}	L _{eq}
2-Feb-11	11:37	Sunny	56.1	57.2	51.7		
8-Feb-11	9:00	Sunny	56.2	59.7	54.2		
14-Feb-11	9:00	Cloudy	56.6	59.7	55.8		
22-Feb-11	10:30	Sunny	56.6	59.7	55.8		

Appendix G - Noise Monitoring Results

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC1a - Outside True Light Middle School of Hong Kong															
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	(Reference) Baseline Level	(Reference) Construction Noise Level, L _{eq}							
			L _{eq}	L ₁₀	L ₉₀		L _{eq}								
2-Feb-11	19:00	Cloudy	66.3	68.8	63.0	66.0	65.8	52.5							
	19:05		66.0	68.4	63.2										
	19:10		65.8	68.3	62.7										
6-Feb-11	10:00	Fine	64.7	66.4	62.3	64.4		65.8	64.4 Measured ≤ Baseline						
	10:05		64.0	66.1	62.2										
	10:10		64.5	66.4	62.3										
8-Feb-11	19:00	Cloudy	65.8	68.4	62.7	66.0			65.8	52.5					
	19:05		66.0	68.3	62.2										
	19:10		66.3	68.9	62.8										
13-Feb-11	10:00	Cloudy	64.9	67.8	58.3	65.0				65.8	65.0 Measured ≤ Baseline				
	10:05		64.8	67.6	57.6										
	10:10		65.3	68.4	58.8										
14-Feb-11	19:00	Cloudy	67.1	69.7	63.4	67.2					65.8	61.6			
	19:05		67.6	70.0	64.0										
	19:10		67.0	69.4	63.0										
20-Feb-11	9:40	Cloudy	64.7	69.2	58.2	65.1						65.8	65.1 Measured ≤ Baseline		
	9:45		65.5	68.9	58.7										
	9:50		65.2	68.4	58.4										
22-Feb-11	19:00	Cloudy	67.0	69.4	63.2	67.0							65.8	60.8	
	19:05		66.8	69.0	64.0										
	19:10		67.1	69.6	64.3										
27-Feb-11	9:25	Sunny	64.6	68.2	59.3	64.9								65.8	64.9 Measured ≤ Baseline
	9:30		65.3	69.4	61.5										
	9:35		64.9	68.8	60.1										

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC2 - The Legend															
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level							
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}							
2-Feb-11	19:35	Cloudy	64.7	66.8	60.0	64.5	59.1	63.0							
	19:40		64.3	66.5	60.2										
	19:45		64.6	66.6	60.3										
6-Feb-11	10:35	Fine	63.5	65.7	60.0	63.3		59.1	61.2						
	10:40		63.1	65.4	59.4										
	10:45		63.3	65.6	59.6										
8-Feb-11	19:40	Cloudy	63.9	66.5	60.0	63.6			59.1	61.7					
	19:45		63.3	66.0	59.8										
	19:50		63.5	66.1	60.0										
13-Feb-11	10:45	Cloudy	59.2	61.9	53.2	58.7				59.1	58.7 Measured ≤ Baseline				
	10:50		58.3	61.4	53.0										
	10:55		58.5	60.9	53.6										
14-Feb-11	19:35	Cloudy	64.7	66.9	60.0	64.3					59.1	62.7			
	19:40		64.2	66.0	59.6										
	19:45		64.0	65.9	59.4										
20-Feb-11	10:20	Cloudy	58.6	60.9	54.4	58.7						59.1	58.7 Measured ≤ Baseline		
	10:25		59.2	61.0	55.0										
	10:30		58.2	60.7	54.1										
22-Feb-11	19:35	Cloudy	64.7	66.9	60.8	64.5							59.1	63.0	
	19:40		64.5	66.5	61.2										
	19:45		64.4	66.3	60.5										
27-Feb-11	10:20	Sunny	59.4	61.9	55.3	58.8								59.1	58.8 Measured ≤ Baseline
	10:25		58.4	61.6	55.0										
	10:30		58.5	61.9	55.5										

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days)

Location NC3 - Outside Aegean Terrace															
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level							
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}							
2-Feb-11	20:25	Cloudy	49.6	51.5	47.0	49.5	53.8	49.5 Measured ≤ Baseline							
	20:30		49.3	51.0	47.1										
	20:35		49.7	52.0	47.2										
6-Feb-11	11:30	Fine	51.4	53.7	48.6	51.3		53.8	51.3 Measured ≤ Baseline						
	11:35		51.6	53.9	48.9										
	11:40		51.0	53.4	48.2										
8-Feb-11	20:20	Cloudy	49.6	51.7	47.0	49.8			53.8	49.8 Measured ≤ Baseline					
	20:25		49.8	51.8	47.8										
	20:30		49.9	51.7	47.9										
13-Feb-11	11:40	Cloudy	51.6	53.7	48.7	52.2				53.8	52.2 Measured ≤ Baseline				
	11:45		52.1	54.2	49.4										
	11:50		52.8	54.6	49.5										
14-Feb-11	20:20	Cloudy	49.7	51.3	47.0	49.7					53.8	49.7 Measured ≤ Baseline			
	20:25		49.9	51.1	48.0										
	20:30		49.6	51.0	48.3										
20-Feb-11	11:10	Cloudy	53.2	55.1	48.9	53.7						53.8	53.7 Measured ≤ Baseline		
	11:15		53.9	55.8	48.3										
	11:20		54.0	56.1	49.6										
22-Feb-11	20:15	Cloudy	50.3	52.1	46.7	50.3							53.8	50.3 Measured ≤ Baseline	
	20:20		50.5	52.5	47.0										
	20:25		50.1	52.0	46.5										
27-Feb-11	11:25	Sunny	52.8	55.0	48.9	53.1								53.8	53.1 Measured ≤ Baseline
	11:30		53.2	55.5	49.3										
	11:35		53.4	55.7	49.8										

Appendix G - Noise Monitoring Results

(Restricted Hours - 23:00 to 07:00 on all days)

Location NC1a - Outside True Light Middle School of Hong Kong											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	(Reference) Baseline Level	(Reference) Construction Noise Level, L _{eq}			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
2-Feb-11	23:00	Cloudy	59.3	61.7	56.5	59.9	60.7	59.9 Measured ≤ Baseline			
	23:05		60.2	62.8	57.4						
	23:10		60.2	62.8	57.3						
8-Feb-11	23:00	Fine	59.4	61.2	57.2	59.3		60.7	59.3 Measured ≤ Baseline		
	23:05		59.4	61.2	57.1						
	23:10		59.0	61.0	56.8						
14-Feb-11	23:30	Fine	60.4	64.6	55.3	60.7			60.7	60.7 Measured ≤ Baseline	
	23:35		61.2	65.0	55.4						
	23:40		60.6	64.4	54.7						
22-Feb-11	23:35	Fine	61.4	63.8	55.8	60.7				60.7	60.7 Measured ≤ Baseline
	23:40		60.5	63.7	55.2						
	23:45		60.0	63.3	54.9						




(Restricted Hours - 23:00 to 07:00 on all days)

Location NC2 - The Legend											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
2-Feb-11	23:35	Cloudy	52.3	55.9	51.0	52.7	53.9	52.7 Measured ≤ Baseline			
	23:40		52.6	56.0	51.4						
	23:45		53.1	56.4	52.0						
8-Feb-11	23:35	Fine	51.6	54.0	48.9	52.2		53.9	52.2 Measured ≤ Baseline		
	23:40		51.8	54.4	49.0						
	23:45		53.0	55.1	49.5						
14-Feb-11	23:00	Fine	53.7	55.8	50.0	53.1			53.9	53.1 Measured ≤ Baseline	
	23:05		53.2	56.4	49.4						
	23:10		52.1	56.1	49.2						
22-Feb-11	23:00	Fine	53.9	57.2	49.7	53.7				53.9	53.7 Measured ≤ Baseline
	23:05		53.9	57.0	49.6						
	23:10		53.4	56.6	47.4						

(Restricted Hours - 23:00 to 07:00 on all days)




Location NC3 - Outside Aegean Terrace											
Date	Time	Weather	dB (A) (5-min)			Average L _{eq}	Baseline Level	Construction Noise Level			
			L _{eq}	L ₁₀	L ₉₀		L _{eq}	L _{eq}			
3-Feb-11	0:20	Cloudy	51.4	53.6	49.3	51.9	52.0	51.9 Measured ≤ Baseline			
	0:25		52.0	54.1	49.5						
	0:30		52.2	54.2	49.7						
9-Feb-11	0:25	Fine	50.5	52.8	48.4	50.2		52.0	50.2 Measured ≤ Baseline		
	0:30		50.2	52.7	48.0						
	0:35		50.0	52.6	47.9						
15-Feb-11	0:20	Fine	50.2	51.9	47.9	50.9			52.0	50.9 Measured ≤ Baseline	
	0:25		50.8	52.1	48.2						
	0:30		51.7	52.9	48.5						
23-Feb-11	0:25	Fine	50.9	52.6	47.9	51.2				52.0	51.2 Measured ≤ Baseline
	0:30		51.3	53.4	48.5						
	0:35		51.4	53.8	48.7						

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Feb 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 11	Appendix G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Feb 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 11	Appendix G	

Noise Levels





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 11	Appendix G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Feb 11	Appendix	G	

Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Feb 11	Appendix G	

Noise Levels (Restricted Hours - 07:00 - 23:00 holidays & 19:00 - 23:00 on all other days)



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Feb 11	Appendix G	

Noise Levels (Restricted Hours - 23:00 to 07:00 on all days)



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Feb 11	Appendix	G	