

**Appendix G - Noise Monitoring Results**

Location NC1 - True Light Middle School of Hong Kong								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	16:55	Sunny	68.6	71.2	60.2	70.0	N/A	N/A
10-Nov-11	16:55	Sunny	68.3	70.6	64.7	70.0	N/A	N/A
15-Nov-11	16:50	Cloudy	65.9	68.7	61.8	70.0	N/A	N/A
22-Nov-11	16:50	Sunny	65.1	68.4	62.2	70.0	N/A	N/A
28-Nov-11	16:55	Sunny	65.5	68.9	62.7	70.0	N/A	N/A

Location NC2 - The Legend								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	16:15	Sunny	63.3	65.2	60.5	75.0	N/A	N/A
10-Nov-11	16:15	Sunny	69.1	71.3	65.3		N/A	N/A
15-Nov-11	16:05	Cloudy	74.4	77.9	63.9		N/A	N/A
22-Nov-11	16:05	Sunny	69.3	72.8	67.5		N/A	N/A
28-Nov-11	16:10	Sunny	70.2	73.6	68.1		N/A	N/A

Location NC3 - Outside Aegean Terrace								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	8:00	Sunny	52.1	53.7	45.2	75.0	N/A	N/A
10-Nov-11	8:00	Sunny	51.5	53.8	46.3		N/A	N/A
15-Nov-11	8:05	Cloudy	54.5	57.2	47.1		N/A	N/A
22-Nov-11	17:35	Sunny	50.2	53.7	45.5		N/A	N/A
28-Nov-11	17:45	Sunny	52.6	55.8	47.1		N/A	N/A

Location NC4 - Man Yuen Garden								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	13:00	Sunny	72.2	74.1	68.3	75.0	N/A	N/A
10-Nov-11	13:00	Sunny	73.1	73.8	65.6		N/A	N/A
15-Nov-11	13:00	Cloudy	72.8	74.4	70.4		N/A	N/A
22-Nov-11	13:30	Sunny	72.4	73.8	67.3		N/A	N/A
28-Nov-11	13:25	Sunny	72.8	74.3	65.8		N/A	N/A

Location NC5 - BIK D Villa Monte Rosa								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	9:40	Sunny	69.2	70.6	61.5	75.0	N/A	N/A
10-Nov-11	9:40	Sunny	65.7	67.3	60.6		N/A	N/A
15-Nov-11	9:30	Sunny	64.7	67.5	59.9		N/A	N/A
22-Nov-11	15:25	Sunny	68.8	70.4	64.1		N/A	N/A
28-Nov-11	15:20	Sunny	67.4	69.2	63.8		N/A	N/A

Location NC6 - Rosaryhill School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	10:10	Sunny	65.8	66.3	62.1	70.0	N/A	N/A
10-Nov-11	10:20	Sunny	63.6	64.9	59.5	70.0	N/A	N/A
15-Nov-11	10:15	Sunny	63.9	65.7	60.4	70.0	N/A	N/A
22-Nov-11	14:20	Sunny	64.3	67.5	62.7	65.0	N/A	N/A
28-Nov-11	16:15	Sunny	66.2	69.2	62.5	70.0	N/A	N/A

Location NC7 - Buddhist Li Ka Shing Care & Attention Home for the Elderly								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	15:20	Sunny	69.2	72.0	61.9	75.0	N/A	N/A
10-Nov-11	15:20	Sunny	69.1	71.5	63.1		N/A	N/A
15-Nov-11	15:20	Cloudy	68.4	70.4	62.9		N/A	N/A
22-Nov-11	15:20	Sunny	68.7	72.4	62.8		N/A	N/A
28-Nov-11	15:25	Sunny	69.5	72.9	63.3		N/A	N/A

**Appendix G - Noise Monitoring Results**

Location NC8 - Marymount Secondary School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	13:10	Sunny	69.3	73.1	64.6	70.0	N/A	N/A
10-Nov-11	13:05	Sunny	68.3	71.8	61.7	70.0	N/A	N/A
15-Nov-11	14:25	Cloudy	67.0	69.8	61.7	70.0	N/A	N/A
22-Nov-11	13:00	Sunny	67.8	69.5	62.0	70.0	N/A	N/A
28-Nov-11	13:05	Sunny	66.5	68.1	64.5	70.0	N/A	N/A

Location NC9 - 117 Blue Pool Road								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	13:45	Sunny	71.7	74.1	65.3	75.0	N/A	N/A
10-Nov-11	13:40	Sunny	70.7	72.3	65.1		N/A	N/A
15-Nov-11	13:50	Cloudy	72.6	76.4	64.1		N/A	N/A
22-Nov-11	13:45	Sunny	70.6	72.6	65.4		N/A	N/A
28-Nov-11	13:45	Sunny	71.3	73.8	65.7		N/A	N/A

Location NC10 - The Harbour View								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	11:20	Sunny	70.3	73.1	65.7	75.0	N/A	N/A
10-Nov-11	11:25	Sunny	70.2	72.6	66.9		N/A	N/A
15-Nov-11	11:25	Cloudy	70.6	72.8	67.5		N/A	N/A
22-Nov-11	14:20	Sunny	71.5	73.4	68.6		N/A	N/A
28-Nov-11	14:20	Sunny	71.1	73.9	66.7		N/A	N/A

Location NC11 - Honey Court								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	8:45	Sunny	65.9	67.5	61.9	75.0	N/A	N/A
10-Nov-11	8:45	Sunny	65.8	67.8	61.6		N/A	N/A
15-Nov-11	8:45	Cloudy	64.9	67.5	61.8		N/A	N/A
22-Nov-11	16:50	Sunny	67.1	68.5	62.2		N/A	N/A
28-Nov-11	16:45	Sunny	67.2	68.8	62.3		N/A	N/A

Location NC12 - Ying Wa Girl's School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	13:50	Sunny	67.8	69.2	62.9	70.0	N/A	N/A
10-Nov-11	13:45	Sunny	67.5	68.2	64.4	70.0	N/A	N/A
15-Nov-11	13:50	Cloudy	66.7	68.5	64.2	70.0	N/A	N/A
22-Nov-11	12:45	Sunny	67.9	70.5	64.1	70.0	N/A	N/A
28-Nov-11	14:45	Sunny	67.8	70.4	64.9	70.0	N/A	N/A

Location NC13 - Peakville Court								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
4-Nov-11	14:30	Sunny	63.1	66.9	60.3	75.0	N/A	N/A
10-Nov-11	14:35	Sunny	63.2	67.1	60.4		N/A	N/A
15-Nov-11	14:35	Sunny	62.9	66.7	60.0		N/A	N/A
22-Nov-11	11:00	Sunny	63.2	66.9	59.2		N/A	N/A
28-Nov-11	11:05	Sunny	62.9	66.8	59.4		N/A	N/A

**Appendix G - Noise Monitoring Results**

Location NC14 - Hong Kong Japanese School								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
4-Nov-11	14:30	Sunny	65.4	66.4	63.8	70.0	N/A	N/A
10-Nov-11	14:25	Sunny	66.4	67.3	63.8	70.0	N/A	N/A
15-Nov-11	13:00	Cloudy	66.2	66.9	60.3	70.0	N/A	N/A
22-Nov-11	14:30	Sunny	62.4	65.4	60.4	70.0	N/A	N/A
28-Nov-11	14:30	Sunny	63.3	66.1	61.5	70.0	N/A	N/A

Location NC15a - 12 Tung Shan Terrace								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
4-Nov-11	17:35	Sunny	67.4	68.5	63.2	75.0	N/A	N/A
10-Nov-11	17:40	Sunny	66.5	67.9	61.5	75.0	N/A	N/A
15-Nov-11	17:35	Cloudy	63.9	65.8	61.3	75.0	N/A	N/A
22-Nov-11	8:00	Sunny	66.9	68.5	61.8	75.0	N/A	N/A
28-Nov-11	8:00	Sunny	68.1	68.8	63.4	75.0	N/A	N/A

Location NC16 - Raimondi College								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
4-Nov-11	15:20	Sunny	64.1	65.7	60.3	70.0	N/A	N/A
10-Nov-11	15:25	Sunny	63.7	65.8	60.3	70.0	N/A	N/A
15-Nov-11	15:20	Cloudy	64.2	65.4	61.6	70.0	N/A	N/A
22-Nov-11	10:20	Sunny	64.0	65.7	60.3	70.0	N/A	N/A
28-Nov-11	10:25	Sunny	64.4	66.1	61.2	70.0	N/A	N/A




Location NC17 - Hong Kong Institute of Technology								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
4-Nov-11	16:10	Sunny	69.1	71.8	65.8	70.0	N/A	N/A
10-Nov-11	16:15	Sunny	69.5	72.0	66.4	70.0	N/A	N/A
15-Nov-11	16:10	Cloudy	65.7	69.8	63.3	70.0	N/A	N/A
22-Nov-11	9:30	Sunny	68.9	71.1	65.2	70.0	N/A	N/A
28-Nov-11	9:30	Sunny	68.9	70.7	65.8	70.0	N/A	N/A

Location NC18 - Blk A, 80 Robinson Road								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
4-Nov-11	16:50	Sunny	70.5	72.7	65.2	75.0	N/A	N/A
10-Nov-11	16:55	Sunny	70.8	72.2	65.9		N/A	N/A
15-Nov-11	16:50	Cloudy	69.5	72.4	66.6		N/A	N/A
22-Nov-11	8:45	Sunny	71.4	73.2	67.1		N/A	N/A
28-Nov-11	8:40	Sunny	72.5	73.3	66.8		N/A	N/A

Location NC19 - Villa Veneto								
Date	Time	Weather	Unit: dB (A) (30-min)					
			Measured Noise Level			Limit Level	Corresponding Baseline Level <sup>(1)</sup>	Corrected Measured Noise Level <sup>(2)</sup>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>			
4-Nov-11	9:30	Sunny	67.4	68.7	64.7	75.0	N/A	N/A
10-Nov-11	9:30	Sunny	66.7	68.9	63.7		N/A	N/A
15-Nov-11	10:55	Cloudy	69.6	70.4	68.0		N/A	N/A
22-Nov-11	9:30	Sunny	65.0	68.2	63.2		N/A	N/A
28-Nov-11	9:30	Sunny	66.7	69.5	64.2		N/A	N/A




Location GNC7 - Hong Villa					
Date	Time	Weather	Unit: dB (A) (30-min)		
			Measured Noise Level		
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>
4-Nov-11	11:25	Sunny	56.5	57.4	51.2
10-Nov-11	11:15	Sunny	54.5	56.0	51.5
15-Nov-11	9:30	Cloudy	57.5	61.4	52.2
22-Nov-11	11:20	Sunny	54.6	58.2	52.1
28-Nov-11	11:20	Sunny	53.2	56.8	50.7

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Nov 11	Appendix	G	

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Nov 11	Appendix	G	

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Nov 11	Appendix	G	

## Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Nov 11	Appendix	G	




## Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Nov 11	Appendix G	





## Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Nov 11	Appendix	G	

## Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Nov 11	Appendix	G	