

24-hour TSP Monitoring Results

Location AM4_2 - A Location next to Sheung Wan Fire Station

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
2-Mar-17	9:00	Cloudy	293.4	3.5764	3.8215	0.2451	1080.2	1104.2	24.0	1.20	1.20	1.20	1729.2	141.7	170202/096
8-Mar-17	9:00	Cloudy	289.4	3.6295	3.9378	0.3083	1104.2	1128.2	24.0	1.21	1.21	1.21	1739.2	177.3	170302/079
14-Mar-17	9:00	Cloudy	292.6	3.6164	3.8480	0.2316	1128.2	1152.2	24.0	1.20	1.20	1.20	1727.3	134.1	170203/062
20-Mar-17	9:00	Sunny	292.6	3.5796	3.8925	0.3129	1152.2	1176.2	24.0	1.22	1.22	1.22	1757.3	178.1	170303/043
24-Mar-17	9:00	Cloudy	295.7	3.6277	3.9247	0.2970	1176.2	1200.2	24.0	1.21	1.21	1.21	1748.4	169.9	170303/100
30-Mar-17	9:00	Cloudy	294.8	3.6309	3.9018	0.2709	1200.2	1224.2	24.0	1.22	1.22	1.22	1752.1	154.6	170303/068
													Min	134.1	
													Max	178.1	
													Average	159.3	