

1-hour TSP Monitoring Results

| Location AM7 - North West Kowloon Sewage Pumping Station | | | |
|--|-------|---------|--|
| Date | Time | Weather | Particulate Concentration ($\mu\text{g}/\text{m}^3$) |
| 2-Feb-16 | 9:00 | Cloudy | 95 |
| 2-Feb-16 | 10:00 | Cloudy | 98 |
| 2-Feb-16 | 11:00 | Cloudy | 93 |
| 6-Feb-16 | 13:00 | Fine | 186 |
| 6-Feb-16 | 14:00 | Fine | 199 |
| 6-Feb-16 | 15:00 | Fine | 195 |
| 12-Feb-16 | 14:00 | Fine | 185 |
| 12-Feb-16 | 15:00 | Fine | 194 |
| 12-Feb-16 | 16:00 | Fine | 197 |
| 18-Feb-16 | 14:00 | Cloudy | 171 |
| 18-Feb-16 | 15:00 | Cloudy | 177 |
| 18-Feb-16 | 16:00 | Cloudy | 187 |
| 24-Feb-16 | 14:00 | Cloudy | 124 |
| 24-Feb-16 | 15:00 | Cloudy | 123 |
| 24-Feb-16 | 16:00 | Cloudy | 125 |
| Average | | | 157 |
| Maximum | | | 199 |
| Minimum | | | 93 |