

# 1-hour TSP Monitoring Results

| Location AM7 - North West Kowloon Sewage Pumping Station |       |         |  |
|--|-------|---------|--|
| Date   | Time  | Weather | Particulate Concentration ( $\mu\text{g}/\text{m}^3$ ) |
| 5-Jan-16   | 14:00 | Cloudy  | 94   |
| 5-Jan-16   | 15:00 | Cloudy  | 97   |
| 5-Jan-16   | 16:00 | Cloudy  | 98   |
| 11-Jan-16  | 14:00 | Cloudy  | 94   |
| 11-Jan-16  | 15:00 | Cloudy  | 93   |
| 11-Jan-16  | 16:00 | Cloudy  | 93   |
| 15-Jan-16  | 14:00 | Cloudy  | 110  |
| 15-Jan-16  | 15:00 | Cloudy  | 116  |
| 15-Jan-16  | 16:00 | Cloudy  | 116  |
| 21-Jan-16  | 14:00 | Cloudy  | 193  |
| 21-Jan-16  | 15:00 | Cloudy  | 187  |
| 21-Jan-16  | 16:00 | Cloudy  | 192  |
| 27-Jan-16  | 14:00 | Cloudy  | 161  |
| 27-Jan-16  | 15:00 | Cloudy  | 167  |
| 27-Jan-16  | 16:00 | Cloudy  | 169  |
| <b>Average</b>   |       |         | <b>132</b>   |
| <b>Maximum</b>   |       |         | <b>193</b>   |
| <b>Minimum</b>   |       |         | <b>93</b>  |