

# 1-hour TSP Monitoring Results

| Location AM7 - North West Kowloon Sewage Pumping Station |       |         |  |
|--|-------|---------|--|
| Date   | Time  | Weather | Particulate Concentration ( $\mu\text{g}/\text{m}^3$ ) |
| 4-Sep-13   | 13:30 | Cloudy  | 133  |
| 4-Sep-13   | 14:30 | Cloudy  | 147  |
| 4-Sep-13   | 15:30 | Cloudy  | 138  |
| 10-Sep-13  | 13:35 | Sunny   | 131  |
| 10-Sep-13  | 14:35 | Sunny   | 120  |
| 10-Sep-13  | 15:35 | Sunny   | 109  |
| 16-Sep-13  | 13:30 | Sunny   | 120  |
| 16-Sep-13  | 14:30 | Sunny   | 112  |
| 16-Sep-13  | 15:30 | Sunny   | 139  |
| 19-Sep-13  | 13:35 | Cloudy  | 101  |
| 19-Sep-13  | 14:35 | Cloudy  | 95   |
| 19-Sep-13  | 15:35 | Cloudy  | 84   |
| 25-Sep-13  | 13:35 | Sunny   | 24   |
| 25-Sep-13  | 14:35 | Sunny   | 31   |
| 25-Sep-13  | 15:35 | Sunny   | 30   |
| 30-Sep-13  | 13:40 | Cloudy  | 33   |
| 30-Sep-13  | 14:40 | Cloudy  | 46   |
| 30-Sep-13  | 15:40 | Cloudy  | 57   |
| Average  |       |         | 92   |
| Maximum  |       |         | 147  |
| Minimum  |       |         | 24   |