

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
4-Aug-14	9:00	Sunny	298.4	3.2087	3.2527	0.0440	1272.2	1296.2	24.0	1.22	1.22	1.22	1757.8	25.0	1406031099
9-Aug-14	9:00	Cloudy	302.5	3.2403	3.2837	0.0434	1296.2	1320.2	24.0	1.21	1.21	1.21	1747.9	24.8	1407011069
15-Aug-14	9:00	Cloudy	301.4	3.0989	3.1298	0.0309	1320.2	1344.2	24.0	1.22	1.22	1.22	1755.1	17.6	1406021025
21-Aug-14	9:00	Sunny	297.8	3.1492	3.1715	0.0223	1344.2	1368.2	24.0	1.23	1.23	1.23	1766.8	12.6	1406021028
27-Aug-14	9:00	Sunny	302.2	3.2423	3.2781	0.0358	1368.2	1392.2	24.0	1.22	1.22	1.22	1752.9	20.4	1408011030
													<b>Min</b>	<b>12.6</b>	
													<b>Max</b>	<b>25.0</b>	
													<b>Average</b>	<b>20.1</b>	