

1-hour TSP Monitoring Results

Station CM\_WF1a, The Wah Ming House

	Start	Finish	Weather	TSP Concentration	Action Level	Limit Level	Site Conditions /	Temperature	Wind Speed	Sampler	Filter
Date	Time	Time		( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )	Observations / Remarks	( $^{\circ}\text{C}$ )	(m/s)	ID	ID
03-Jun-14	09:21	10:21	Fine	141.0	284.5	500	Loading concrete	29.5	<5	LD-3B-001	N/A
03-Jun-14	10:21	11:21	Fine	112.4	284.5	500	Loading concrete	29.5	<5	LD-3B-001	N/A
03-Jun-14	11:21	12:21	Fine	95.3	284.5	500	Loading concrete	29.5	<5	LD-3B-001	N/A
09-Jun-14	09:19	10:19	Cloudy	184.9	284.5	500	Loading concrete	27.8	<5	LD-3B-001	N/A
09-Jun-14	10:19	11:19	Cloudy	175.3	284.5	500	Loading concrete	27.8	<5	LD-3B-001	N/A
09-Jun-14	11:19	12:19	Cloudy	163.9	284.5	500	Loading concrete	27.8	<5	LD-3B-001	N/A
13-Jun-14	09:26	10:26	Sunny	280.1	284.5	500	Loading concrete	28.8	<5	LD-3B-001	N/A
13-Jun-14	10:26	11:26	Sunny	261.1	284.5	500	Loading concrete	28.8	<5	LD-3B-001	N/A
13-Jun-14	11:26	12:26	Sunny	264.9	284.5	500	Loading concrete	28.8	<5	LD-3B-001	N/A
19-Jun-14	09:13	10:13	Fine	68.6	284.5	500	Loading concrete	29.7	<5	LD-3B-001	N/A
19-Jun-14	10:13	11:13	Fine	64.8	284.5	500	Loading concrete	29.7	<5	LD-3B-001	N/A
19-Jun-14	11:13	12:13	Fine	85.8	284.5	500	Loading concrete	29.7	<5	LD-3B-001	N/A
25-Jun-14	09:16	10:16	Fine	131.5	284.5	500	Loading concrete	27.6	<5	LD-3B-001	N/A
25-Jun-14	10:16	11:16	Fine	165.8	284.5	500	Loading concrete	27.6	<5	LD-3B-001	N/A
25-Jun-14	11:16	12:16	Fine	112.4	284.5	500	Loading concrete	27.6	<5	LD-3B-001	N/A
30-Jun-14	09:21	10:21	Sunny	76.2	284.5	500	Loading concrete	29.3	<5	LD-3B-001	N/A
30-Jun-14	10:21	11:21	Sunny	80.0	284.5	500	Loading concrete	29.3	<5	LD-3B-001	N/A
30-Jun-14	11:21	12:21	Sunny	83.9	284.5	500	Loading concrete	29.3	<5	LD-3B-001	N/A
			Min.	64.8							
			Max.	280.1							
			Average	141.6							