

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather	Air	Filter Weight (g)		Particulate	Elapse Time		Sampling	Flow Rate (m <sup>3</sup> /min.)		Av. flow	Total vol.	Conc.	Filter
		Condition	Temp. (K)	Initial	Final	Weight (g)	Initial	Final	Time(hrs.)	Initial	Final	(m <sup>3</sup> /min)	(m <sup>3</sup> )	(µg/m <sup>3</sup> )	ID no.
3-Jul-15	09:00	Cloudy	305.1	3.2818	3.3520	0.0702	2708.3	2732.3	24.0	1.21	1.21	1.21	1739.0	40.4	150505/070
9-Jul-15	09:00	Sunny	299.9	3.3695	3.4555	0.0860	2732.3	2756.3	24.0	1.22	1.21	1.22	1749.6	49.2	150601/010
15-Jul-15	09:00	Sunny	303.3	3.2603	3.3215	0.0612	2756.3	2780.3	24.0	1.21	1.21	1.21	1742.8	35.1	150601/086
21-Jul-15	09:00	Sunny	297.4	3.2375	3.2953	0.0578	2780.5	2804.5	24.0	1.22	1.22	1.22	1765.2	32.7	150602/001
27-Jul-15	09:00	Rainy	302.7	3.2902	3.3625	0.0723	2804.5	2828.5	24.0	1.22	1.22	1.22	1752.0	41.3	150601/014
31-Jul-15	09:00	Sunny	301.0	3.2612	3.3029	0.0417	2828.6	2852.6	24.0	1.22	1.22	1.22	1757.1	23.7	150603/035
													<b>Min</b>	<b>23.7</b>	
													<b>Max</b>	<b>49.2</b>	
													<b>Average</b>	<b>37.1</b>	