

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
5-Nov-15	9:00	Sunny	298.7	3.2826	3.3476	0.0650	3238.0	3262.0	24.0	1.22	1.21	1.21	1749.6	37.2	151001/009
11-Nov-15	9:00	Sunny	296.4	3.2617	3.3559	0.0942	3262.0	3286.0	24.0	1.22	1.22	1.22	1755.5	53.7	151001/090
17-Nov-15	9:00	Sunny	298.6	3.2635	3.3306	0.0671	3286.0	3310.0	24.0	1.21	1.21	1.21	1745.2	38.4	151001/099
23-Nov-15	9:00	Sunny	297.9	3.2787	3.3745	0.0958	3310.0	3334.0	24.0	1.22	1.22	1.22	1751.2	54.7	150902/040
28-Nov-15	9:00	Sunny	293.4	3.3330	3.4622	0.1292	3334.0	3358.0	24.0	1.23	1.23	1.23	1768.6	73.1	150902/097
													Min	37.2	
													Max	73.1	
													Average	51.4	