

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
2-Jan-16	9:00	Sunny	290.7	3.2567	3.3635	0.1068	3479.0	3503.0	24.0	1.23	1.23	1.23	1775.5	60.2	151203/005
7-Jan-16	9:00	Sunny	290.1	3.3151	3.5056	0.1905	3503.0	3527.0	24.0	1.23	1.23	1.23	1768.3	107.7	151204/013
13-Jan-16	9:00	Cloudy	287.3	3.2961	3.4249	0.1288	3527.0	3551.0	24.0	1.24	1.24	1.24	1784.1	72.2	160101/014
19-Jan-16	9:00	Cloudy	287.6	3.3098	3.4810	0.1712	3551.0	3575.0	24.0	1.24	1.24	1.24	1782.5	96.0	160101/003
25-Jan-16	9:00	Cloudy	287.4	3.2761	3.4156	0.1395	3575.0	3599.0	24.0	1.24	1.24	1.24	1783.0	78.2	151204/071
													<b>Min</b>	<b>60.2</b>	
													<b>Max</b>	<b>107.7</b>	
													<b>Average</b>	<b>82.9</b>	