

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
5-Jul-16	9:00	Cloudy	300.5	3.3223	3.3668	0.0445	4605.9	4629.8	24.0	1.22	1.22	1.22	1756.6	25.3	160603/035
11-Jul-16	9:00	Cloudy	300.9	3.3148	3.3941	0.0793	4629.8	4653.8	24.0	1.22	1.22	1.22	1753.6	45.2	160701/041
15-Jul-16	9:00	Sunny	296.9	3.3391	3.4002	0.0611	4653.8	4677.8	24.0	1.23	1.23	1.23	1775.0	34.4	160603/063
21-Jul-16	9:00	Sunny	302.4	3.2931	3.3254	0.0323	4677.8	4701.8	24.0	1.22	1.22	1.22	1757.8	18.4	160603/069
27-Jul-16	9:00	Sunny	302.5	3.3399	3.3927	0.0528	4701.8	4725.8	24.0	1.22	1.22	1.22	1754.2	30.1	160702/019
													<b>Min</b>	<b>18.4</b>	
													<b>Max</b>	<b>45.2</b>	
													<b>Average</b>	<b>30.7</b>	