

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
1-Jun-16	9:00	Sunny	302.2	3.2996	3.3418	0.0422	4461.9	4485.9	24.0	1.22	1.22	1.22	1754.7	24.0	160502/073
7-Jun-16	9:00	Sunny	301.8	3.2863	3.3244	0.0381	4485.9	4509.9	24.0	1.22	1.22	1.22	1757.4	21.7	160501/068
13-Jun-16	9:00	Cloudy	301.6	3.2881	3.3876	0.0995	4509.9	4533.9	24.0	1.22	1.22	1.22	1753.9	56.7	160502/097
17-Jun-16	9:00	Cloudy	302.7	3.3052	3.3488	0.0436	4533.9	4557.9	24.0	1.22	1.22	1.22	1753.0	24.9	160503/075
23-Jun-16	9:00	Sunny	303.2	3.3174	3.3492	0.0318	4557.9	4581.9	24.0	1.22	1.22	1.22	1752.0	18.2	160601/033
29-Jun-16	9:00	Sunny	302.3	3.3752	3.4215	0.0463	4581.9	4605.9	24.0	1.22	1.22	1.22	1755.5	26.4	160602/055
													<b>Min</b>	<b>18.2</b>	
													<b>Max</b>	<b>56.7</b>	
													<b>Average</b>	<b>28.6</b>	