

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
3-Mar-16	9:00	Sunny	291.7	3.3084	3.4373	0.1289	3767.0	3791.0	24.0	1.20	1.20	1.20	1726.6	74.7	160202/010
9-Mar-16	9:00	Cloudy	293.8	3.2167	3.2646	0.0479	3791.0	3815.0	24.0	1.19	1.19	1.19	1712.1	28.0	160202/073
15-Mar-16	9:00	Cloudy	288.2	3.2864	3.4125	0.1261	3815.0	3839.0	24.0	1.20	1.20	1.20	1733.5	72.7	160202/088
21-Mar-16	9:00	Cloudy	289.4	3.3505	3.3971	0.0466	3839.0	3863.0	24.0	1.20	1.20	1.20	1728.2	27.0	160201/032
23-Mar-16	9:00	Cloudy	291.6	3.3391	3.3936	0.0545	3863.0	3887.0	24.0	1.20	1.20	1.20	1725.6	31.6	160203/080
29-Mar-16	9:00	Cloudy	290.5	3.3235	3.4906	0.1671	3887.0	3911.0	24.0	1.20	1.20	1.20	1729.6	96.6	160203/087
													<b>Min</b>	<b>27.0</b>	
													<b>Max</b>	<b>96.6</b>	
													<b>Average</b>	<b>55.1</b>	