

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
3-Aug-17	9:00	Cloudy	298.8	2.8039	2.8434	0.0395	6333.9	6357.9	24.0	1.22	1.22	1.22	1759.1	22.5	170601/037
9-Aug-17	9:00	Cloudy	303.1	2.8309	2.8929	0.0620	6357.9	6381.9	24.0	1.22	1.21	1.21	1749.4	35.4	170601/085
15-Aug-17	9:00	Cloudy	302.7	2.8521	2.9026	0.0505	6381.9	6405.9	24.0	1.22	1.22	1.22	1753.2	28.8	170602/065
21-Aug-17	9:00	Sunny	303.1	2.8258	3.0199	0.1941	6405.9	6429.9	24.0	1.21	1.21	1.21	1748.4	111.0	170601/094
25-Aug-17	9:00	Cloudy	301.6	2.8787	2.9525	0.0738	6429.9	6453.9	24.0	1.22	1.22	1.22	1755.3	42.0	170701/027
31-Aug-17	9:00	Cloudy	302.5	2.9109	3.0395	0.1286	6453.9	6477.9	24.0	1.22	1.22	1.22	1753.5	73.3	170701/029
													Min	22.5	
													Max	111.0	
													Average	52.2	