

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
1-Feb-17	9:00	Cloudy	290.5	3.6266	3.7389	0.1123	5517.9	5541.9	24.0	1.22	1.22	1.22	1752.6	64.1	170102/089
7-Feb-17	9:00	Cloudy	289.7	3.5598	3.6723	0.1125	5541.9	5565.9	24.0	1.22	1.22	1.22	1752.3	64.2	170103/087
13-Feb-17	9:00	Sunny	288.7	3.5679	3.6665	0.0986	5565.9	5589.9	24.0	1.22	1.22	1.22	1763.5	55.9	170202/018
17-Feb-17	9:00	Cloudy	292.1	3.6278	3.7218	0.0940	5589.9	5613.9	24.0	1.21	1.21	1.21	1748.0	53.8	170203/016
23-Feb-17	9:00	Cloudy	291.8	3.6315	3.7486	0.1171	5613.9	5637.9	24.0	1.21	1.21	1.21	1744.7	67.1	170301/038
													Min	53.8	
													Max	67.1	
													Average	61.0	