

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
6-Jul-17	9:00	Cloudy	301.5	2.8076	2.8498	0.0422	6213.9	6237.9	24.0	1.21	1.21	1.21	1742.2	24.2	170501/076
12-Jul-17	9:00	Sunny	302.4	2.8531	2.9009	0.0478	6237.9	6261.9	24.0	1.21	1.21	1.21	1742.1	27.4	170501/081
18-Jul-17	9:00	Cloudy	298.3	3.6154	3.6705	0.0551	6261.9	6285.9	24.0	1.23	1.23	1.23	1768.8	31.2	170401/019
24-Jul-17	9:00	Sunny	300.4	2.8388	2.8828	0.0440	6285.9	6309.9	24.0	1.22	1.22	1.22	1757.3	25.0	170503/063
28-Jul-17	9:00	Sunny	303.7	2.8182	2.9033	0.0851	6309.9	6333.9	24.0	1.21	1.21	1.21	1746.5	48.7	170601/057
													Min	24.2	
													Max	48.7	
													Average	31.3	