

## 24-hour TSP Monitoring Results

### Location CM\_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
2-May-17	9:00	Cloudy	298.3	2.8762	2.9547	0.0785	5925.9	5949.9	24.0	1.20	1.20	1.20	1729.5	45.4	170304/028
8-May-17	9:00	Cloudy	298.0	3.5930	3.6759	0.0829	5949.9	5973.9	24.0	1.20	1.20	1.20	1730.8	47.9	170303/090
12-May-17	9:00	Cloudy	300.9	3.6169	3.7145	0.0976	5973.9	5997.9	24.0	1.20	1.19	1.20	1721.1	56.7	170402/072
18-May-17	9:00	Cloudy	296.6	3.5735	3.6409	0.0674	5997.9	6021.9	24.0	1.20	1.20	1.20	1734.4	38.9	170401/006
24-May-17	9:00	Cloudy	297.5	3.5750	3.6528	0.0778	6021.9	6045.9	24.0	1.22	1.22	1.22	1761.2	44.2	170402/078
29-May-17	9:00	Cloudy	299.0	3.5906	3.6611	0.0705	6045.9	6069.9	24.0	1.22	1.22	1.22	1750.7	40.3	170402/085
													<b>Min</b>	<b>38.9</b>	
													<b>Max</b>	<b>56.7</b>	
													<b>Average</b>	<b>45.5</b>	