

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
6-Sep-17	9:00	Cloudy	303.2	2.8422	2.9096	0.0674	6477.9	6501.9	24.0	1.22	1.22	1.22	1750.3	38.5	170701/050
12-Sep-17	9:00	Sunny	302.0	2.8874	3.0618	0.1744	6501.9	6525.9	24.0	1.22	1.22	1.22	1760.6	99.1	170701/021
18-Sep-17	9:00	Sunny	302.8	2.8457	2.9718	0.1261	6525.9	6549.9	24.0	1.22	1.22	1.22	1759.7	71.7	170701/062
22-Sep-17	9:00	Sunny	299.4	2.8282	2.8804	0.0522	6549.9	6573.9	24.0	1.23	1.23	1.23	1770.3	29.5	170701/059
28-Sep-17	9:00	Sunny	304.6	2.7927	2.8149	0.0222	6573.9	6597.9	24.0	1.22	1.22	1.22	1754.0	12.7	170801/012
													Min	12.7	
													Max	99.1	
													Average	50.3	