

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
3-Apr-18	9:00	Cloudy	297.1	2.8468	2.9146	0.0678	7686.8	7710.8	24.0	1.21	1.21	1.21	1738.9	39.0	180301/070
9-Apr-18	9:00	Sunny	294.2	3.6052	3.8286	0.2234	7710.8	7734.8	24.0	1.22	1.22	1.22	1751.4	127.6	180401/037
13-Apr-18	9:00	Cloudy	299.9	2.7858	2.8715	0.0857	7734.8	7758.8	24.0	1.20	1.20	1.20	1729.5	49.6	171201/073
19-Apr-18	9:00	Sunny	296.3	2.7965	2.9756	0.1791	7758.8	7782.8	24.0	1.21	1.21	1.21	1742.7	102.8	171201/072
25-Apr-18	9:00	Cloudy	296.2	3.3005	3.4596	0.1591	7788.2	7812.2	24.0	1.21	1.21	1.21	1740.6	91.4	180402/035
30-Apr-18	9:00	Sunny	299.2	3.3568	3.4466	0.0898	7812.2	7836.2	24.0	1.21	1.21	1.21	1741.4	51.6	180402/059
													Min	39.0	
													Max	127.6	
													Average	77.0	