

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
2-Jan-18	9:00	Sunny	291.4	2.8728	3.0360	0.1632	7066.8	7090.8	24.0	1.22	1.22	1.22	1759.1	92.8	171001/042
8-Jan-18	9:00	Cloudy	288.7	2.8287	3.0898	0.2611	7090.8	7114.8	24.0	1.22	1.22	1.22	1760.3	148.3	171101/069
12-Jan-18	9:00	Sunny	286.6	2.9253	3.1681	0.2428	7114.8	7138.8	24.0	1.24	1.23	1.24	1778.4	136.5	171101/066
18-Jan-18	9:00	Sunny	292.5	2.8725	3.1352	0.2627	7138.8	7162.8	24.0	1.22	1.22	1.22	1750.1	150.1	171201/081
24-Jan-18	9:00	Cloudy	291.0	2.8772	3.1637	0.2865	7162.8	7186.8	24.0	1.22	1.22	1.22	1754.2	163.3	170902/036
30-Jan-18	9:00	Cloudy	282.5	2.8583	2.9726	0.1143	7374.7	7398.7	24.0	1.24	1.24	1.24	1785.8	64.0	170901/052
													Min	64.0	
													Max	163.3	
													Average	125.8	