

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
5-Jul-18	9:00	Cloudy	302.9	2.9628	3.0363	0.0735	8154.0	8178.0	24.0	1.22	1.22	1.22	1755.1	41.9	180701/042
11-Jul-18	9:00	Sunny	303.9	3.2824	3.3191	0.0367	8178.0	8202.0	24.0	1.22	1.22	1.22	1752.3	20.9	180702/052
17-Jul-18	9:00	Rainy	303.3	3.0084	3.0569	0.0485	8226.0	8250.0	24.0	1.22	1.22	1.22	1754.2	27.6	180602/064
23-Jul-18	9:00	Cloudy	301.7	3.6421	3.6917	0.0496	8250.0	8274.0	24.0	1.22	1.22	1.22	1758.9	28.2	180703/055
27-Jul-18	9:00	Sunny	302.1	3.2922	3.3151	0.0229	8274.0	8298.0	24.0	1.22	1.22	1.22	1762.0	13.0	180501/049
													Min	13.0	
													Max	41.9	
													Average	26.3	