

24-hour TSP Monitoring Results

Location CM_WF1a - Wah Ming House

Start Date	Start Time	Weather Condition	Air Temp. (K)	Filter Weight (g)		Particulate Weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Conc. (µg/m ³)	Filter ID no.
				Initial	Final		Initial	Final		Initial	Final				
5-Sep-18	9:00	Cloudy	302.6	2.8549	2.8868	0.0319	8442.1	8466.1	24.0	1.22	1.22	1.22	1753.8	18.2	180601/051
11-Sep-18	9:00	Cloudy	302.1	3.2606	3.3432	0.0826	8466.1	8490.1	24.0	1.22	1.22	1.22	1760.1	46.9	180803/049
17-Sep-18	9:00	Cloudy	300.3	3.2285	3.3022	0.0737	8490.1	8514.1	24.0	1.22	1.22	1.22	1762.9	41.8	180803/092
21-Sep-18	9:00	Rainy	302.8	3.6417	3.6896	0.0479	8631.6	8655.6	24.0	1.22	1.22	1.22	1759.6	27.2	180901/053
27-Sep-18	9:00	Sunny	300.9	3.6405	3.6866	0.0461	8655.6	8679.6	24.0	1.22	1.22	1.22	1763.5	26.1	180901/099
													Min	18.2	
													Max	46.9	
													Average	32.1	