

Daytime Noise Monitoring Results -- Normal weekday

Station M3, Kwan Yick building(*)

Date	Start Time	End Time	Weather	Noise level (dB(A)), 30 min			Major Construction Noise Source(s) Observed	Other Noise Source(s) Observed	Remarks	Temp. (°C)	Wind Speed (m/s)	Noise Meter Model / ID	Calibrator Model / ID
				Leq	L10	L90							
06-May-13	13:00	13:30	Cloudy	67.2	68.6	65.6	-	Traffic Noise	-	22.5	0.4	RION-NL31 (S/N 00603867)	RION-NL73 (S/N 10997142)
16-May-13	10:22	10:52	Cloudy	67.2	68.8	65.9	-	Traffic Noise	-	27.0	0.3	RION- NL31 (S/N 00603867)	RION - NC73 (S/N 10997142)
22-May-13	16:15	16:45	Cloudy	67.4	68.8	66.3	-	Traffic Noise	-	24.0	0.5	RION- NL31 (S/N 00603867)	RION - NC73 (S/N 10997142)
28-May-13	10:21	10:51	Cloudy	66.5	68.0	65.1	Lifting and Excavation	Traffic Noise	-	29.0	0.4	RION- NL31 (S/N 00603867)	RION - NC73 (S/N 10997142)
				Min.	66.5								
				Max.	67.2								

Remark: (*): The data were provided by Contract No. DC/2007/23.

Calibration certificates for the noise meter(s) and calibrator(s) used were included in the corresponding Monthly EM&A Report for this Contract