

Daytime Noise Monitoring Results

Station NM6 Customs' Marine Base (Block H of Government Dockyard) Rooftop

Date	Start Time	End Time	Weather	Noise level (dB(A)), 30 min ⁺			Major Construction Noise Source(s) Observed	Other Noise Source(s) Observed	Remarks	Mean Temp. (°C)	Mean Wind Speed (m/s)	Noise Meter Model / ID	Calibrator Model / ID
				Leq	L10	L90							
05-Jan-11	09:33	10:03	Cloudy	71	73	68	excavation and drilling in process and crane in operation	other construction site nearby	-	15.7	<5 m/s	B&K 2270	B&K 4231
11-Jan-11	15:19	15:49	Sunny	71	73	69	excavation and drilling in process and crane in operation	other construction site nearby	-	11.2	<5 m/s	B&K 2238	B&K 4231
17-Jan-11	16:15	16:45	Sunny	71	69	69	excavation and piling in process and crane in operation	other construction site nearby	-	11.8	<5 m/s	B&K 2238	B&K 4231
29-Jan-11	13:30	14:00	Sunny	71	74	66	excavation in process and crane in operation	other construction site nearby	-	12.9	<5 m/s	B&K 2238	B&K 4231
			Min.	71									
			Max.	71									

⁺ - Facade measurement