Daytime Noise Monitoring Results -- Normal weekday

Station M7a, Wah Ming House

Date	Start Time	End Time	Weather	Noise level (dB(A)), 30 min			Major Construction Noise Source(s) Observed	Other Noise Source(s) Observed	Remarks	Temp. (℃)	Wind Speed (m/s)	Noise Meter Model / ID	Calibrator Model / ID
				Leq	L10	L90							
09-Dec-10	11:01	11:31	Sunny	69	71	65	Operation hand-held breakers	N.A	N.A	17.5	<5	ONO SOKKI LA-5110 S/N: 72700154	ONO SOKKI SC-2110 S/N: 00461
14-Dec-10	11:00	11:30	Foggy	71	73	67	Operation hand-held breakers Rock excavation	Construction works in Wah Hong House	N.A	21.8	<5	ONO SOKKI LA-5110 S/N: 72700154	ONO SOKKI SC-2110 S/N: 00461
22-Dec-10	13:24	13:54	Fine	63	64	59	Operation hand-held breakers Rock excavation	N.A	N.A	19.3	<5	ONO SOKKI LA-5110 S/N: 72700154	ONO SOKKI SC-2110 S/N: 00461
28-Dec-10	14:19	14:49	Fine	64	68	61	Maintenance work at the roof of Wah Ming House	N.A	N.A	15.4	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2656516
			Min.	**63**									
			Max.	**71**									