

**Daytime Noise Monitoring Results -- Normal weekday**

**Station M7, Wah Ming House**

Date	Start Time	End Time	Weather	Noise level (dB(A)), 30 min			Major Construction Noise Source(s)	Other Noise Source(s) Observed	Remarks	Temp. (°C)	Wind Speed (m/s)	Noise Meter Model / ID	Calibrator Model / ID
				Leq	L10	L90							
01-Sep-10	13:22	13:52	Foggy	69	72	62	Excavation process	Construction at Wah Yu House	N.A	31.2	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
08-Sep-10	13:17	13:47	Sunny	73	75	70	Excavation process	Construction at Wah Yu House	N.A	29.9	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
14-Sep-10	09:40	10:10	Sunny	63	64	61	No major construction works	Construction at Wah Yu House	N.A	27.2	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
20-Sep-10	09:09	09:39	Cloudy	63	64	61	Loading activities	N.A	N.A	28.3	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
29-Sep-10	13:07	13:37	Sunny	71	73	65	Wall-breaking process	N.A	N.A	28.5	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2656516
				<b>Min.</b>	<b>63</b>								
				<b>Max.</b>	<b>73</b>								