

Daytime Noise Monitoring Results -- Normal weekday

Station M7a, Wah Ming House

Date	Start Time	End Time	Weather	Noise level (dB(A)), 30 min			Major Construction	Other Noise Source(s)	Remarks	Temp. (°C)	Wind Speed	Noise Meter Model / ID	Calibrator Model / ID
				Leq	L10	L90							
08-Sep-11	09:18	09:48	Sunny	66	67	62	Operation of mobile crane for loading activities	Hand held breaker in Wah chung House	N.A	30	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
14-Sep-11	13:42	14:12	Sunny	63	64	61	Operation of mobile crane and loading	Hand held breaker in Wah chung House	N.A	29	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
20-Sep-11	14:47	15:17	Cloudy	64	65	62	Operation of mobile crane and loading	N.A	N.A	26	<5	B&K 2238 S/N : 2684503	B&K 4231 S/N: 2385180
26-Sep-11	09:27	09:57	Cloudy	66	69	62	Operation of mobile crane and loading	N.A	N.A	27	<5	B&K 2238 S/N : 2684502	B&K 4231 S/N: 2656516
				Min.	63								
				Max.	66								