

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities add Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Service Department

Provision of Effluent Quality Monitoring (EQM) Services Report for the Month of Apr 2020

Contract No. : DE/2018/02

Applicant : SEWAGE TREATMENT DIVISION 2

ELECTRICAL AND MECHANICAL BRANCH DRAINAGE SERVICES DEPARTMENT

Address : STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,

NGONG SHUNG ROAD, NGONG SHUEN CHAU,

KOWLOON, HONG KONG

Application Number : LZ006595(3)

Report Number : AZ0019091(9)

Report Issued Date : 12 May 2020

For and on behalf of

CMA Industrial Development Foundation Limited

Authorized Signature :

Lau Yan Kin Senior Manager Environmental Division

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatesting.org
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

TABLE OF CONTENT

1.	Introduction	2
2.	Effluent Quality Monitoring	3 – 4
3.	Results and Observations	4
App	pendix Appendix I — Report for Laboratory Test(s)	

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatesting.org. This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

EXECUTIVE SUMMARY

- 1. This is the water quality monitoring report prepared by CMA Testing and Certification Laboratory (CMA Testing) for Contract No. DE/2018/02 "Term Contract for Provision of Sampling and analysing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2018-2020)". This report documented the results and findings of Operation Phase Environmental Monitoring works conducted for Effluent Quality Monitoring (EQM) of Project in April 2020.
- 2. In accordance with the Final EM&A Manual, environmental monitoring has been conducted in the reporting month with a Quarterly Basis for various parameters as summarized in **Table I**.

Table I Summary Table for Environmental Monitoring Works Conducted in the Reporting Month

Monitoring Parameters	Monitoring Date	Laboratory Testing Parameters
Effluent Quality	21 Apr 2020 to 22 Apr 2020	Total Residual Chlorine (TRC) Chlorination by-products (CBPs) and Contaminants of Concern (COCs)



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

1. INTRODUCTION

- 1.1. CMA Testing was commissioned by Drainage Services Department (DSD) to undertake the operation phase environmental monitoring for Advance Disinfection Facilities (ADF) at Stonecutters Island Sewage Treatment Works (SCISTW) (thereafter called the "the Services").
- The operation phase monitoring, which include effluent quality monitoring, marine water quality monitoring and emergency discharge monitoring, is to monitor the effluent and marine water quality impact of ADF during its operation phase.
- 1.3. This is the water quality monitoring report prepared by CMA Testing that documented the results and findings of Operation Phase Water Quality Monitoring works conducted for Effluent Quality Monitoring (EQM) of Project on 21 Apr 2020 to 22 Apr 2020.



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

2. EFFLUENT QUALITY MONITORING

Monitoring Requirements

- 2.1. Effluent samples were collected at Disinfection Facilities in a full 24-hour period. 24-hour flow weighted composite effluent samples for subsequent chemical analysis and testing were prepared by CMA according to the following procedures:
 - Collect effluent sub-sample by direct grab sampling method at bi-hourly interval over a 24 hour period;
 - Obtain flow record of Stonecutters Island Sewage Treatment Works (SCISTW) for the 24-hour sampling period;
 - Calculate the volume of each sub-sample for preparation the bi-hourly of 24 hour flow-weighted composite samples; and
 - Transfer the appropriate the volume of sub-samples to a clean container and mix thoroughly.
- 2.2. Bi-hourly of 24-hour composite sample for Total Residual Chloride (TRC), Chlorination By-Products (CBPs) and Contaminants of Concern (COCs) tests shall be performed quarterly throughout the contract period.

Monitoring Location

2.3. The sampling locations for effluent from SCISTW were collected at the Disinfection Facilities

Monitoring Schedule

2.4. The effluent quality monitoring was conducted between the time periods of 10:00am 21 Apr 2020 to 10:00am of 22 Apr 2020 in the reporting month. Collection of marine water samples were within the time period of effluent quality monitoring was to be collected.

Laboratory Measurement / Analysis

2.5. In the reporting month, the bi-hourly of 24-hour flow-weighted composite effluent sample was collected for subsequent laboratory analysis and testing on TRC, CBPs and COCs as shown in **Table 2.1.**



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

Table 2.1 Analytical Methods for Laboratory Analysis for Effluent Samples

Parameter	s	Analytical Method	Limit of Reporting (µg/L)
	TRC and	Potential CBPs	
Total residual Chlorine		APHA 21ed 4500 Cl G	10
Bromoform	TD :		0.1
Bromodichloromethane	Tri- halomethanes	TG-ENV-WW-78	0.1
Chloroform		(Headspace GC-MS)	0.1
Dibromochloromethane	(THMs)		5
Bromoacetic acid			2
Chloroacetic acid	Haloacetic	TC FNU NAV 70	2
Dibromoacetic acid		TG-ENV-WW-79	2
Dichloroacetic acid	Acids (HAAs)	(GC-ECD)	2
Trichloroacetic acid	-		2
	Contaminants	of Concern (COCs)	
Methylene chloride	Halogenated		20
Carbon tetrachloride	Aliphatics		0.5
1,1-dichloroethane	1 -		0.5
1,2-dichloroethane	1		0.5
1,1-dichloroethylene	1	TG-ENV-WW-78	0.5
1,2-dichloropropane		(Headspace GC-MS)	0.5
Tetrachloroethylene		_	0.5
1,1,1-trichloroethane	Halogenated		0.5
1,1,2-trichloroethane	Aliphatics		0.5
Trichloroethylene			0.5
2-chlorophenol			0.5
2,4-dichlorophenol			0.5
p-chloro-m-cresol	- Phenols	TG-ENV-WW-80	0.5
Pentachlorophenol	- & Haloethers	(GC-MS)	0.5
2,4,6-trichlorophenol	& Haloethers	(GC-MS)	0.5
Bis(2-chloroethoxy)			0.5
methane			0.3
Chlorobenzene		TG-ENV-WW-78	0.5
1,4-dichlorobenzene		(Headspace GC-MS)	0.5
Hexachlorobenzene	Chlorinated		0.01
Hexachlorocyclopentadiene	Hydrocarbons		2.5
Hexachloroethane	&		0.5
1,2,4-trichlorobenzene	Organochlorine	USEPA 625	0.5
Alpha-BHC	Pesticides		0.01
Beta-BHC]		0.01
Gamma-BHC			0.01

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatesting.org
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

3. RESULTS AND OBSERVATIONS

Effluent Quality

3.1. The results of effluent quality monitoring conducted on the time period of 10:00am 21 Apr 2020 to 10:00am of 22 Apr 2020, whereas the laboratory testing and QC report are shown in **Appendix I-Report no. AZ0019090(8).**



廠商會檢定中心

Report No.: AZ0019091(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

Appendix I - Report for Laboratory Test(s)



廠商會檢定中心

TEST REPORT

Report No. : AZ0019090(8) Date: 12 May 2020

Application No. : LZ006595(3)

Applicant : SEWAGE TREATMENT DIVISION 2

ELECTRICAL AND MECHANICAL BRANCH

DRAINAGE SERVICES DEPARTMENT

STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,

NGONG SHUNG ROAD, NGONG SHUEN CHAU,

KOWLOON, HONG KONG

Contract No. : DE/2018/02

Project Name : Term Contract for Provision of Sampling and Analyzing of

Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and

Outlying Islands to the Drainage Services Department

Sample Description : One (1) wastewater sample sampled by the staff of CMA Industrial

Development Foundation Limited.

Sample was refrigerated during delivery.

Sample ID : Refer to Sample ID on page 4.

Sampling Location : SCISTW- Disinfection Facilities

Sampling Date : 21 Apr 2020 to 2 Apr 2020.

Date Received : 21 Apr 2020.

Test Period : 21 Apr 2020 to 11 May 2020.

For and on behalf of

CMA Industrial Development Foundation Limited

Authorized Signature:

Lau Yan Kin Senior Manager Environmental Division

Lad Yan Kin

Page 1 of 7



廠商會檢定中心

TEST REPORT

Report No. AZ0019090(8) Date: 12 May 2020

Application No. LZ006595(3)

Test Requested Total Residual Chlorine

Bromoform

3. Bromodichloromethane

4. Chloroform

5. Dibromochloromethane

6. Bromoacetic acid

7. Chloroacetic acid

8. Dibromoacetic acid

9. Dichloroacetic acid

10. Trichloroacetic acid

11. Methylene chloride

12. Carbon tetrachloride

13. 1,1-dichloroethane

14. 1,2-dichloroethane

15. 1,1-dichloroethylene

13. 1,1-dichloroethylene
16. 1,2-dichloropropane
17. Tetrachloroethlyene
18. 1,1,1-trichloroethane
19. 1,1,2-trichloroethane
20. Trichloroethylene

21. 2-chlorophenol

22. 2,4-dichlorophenol

23. p-chloro-m-cresol

24. Pentachlorophenol

25. 2,4,6-trichlorophenol

26. Bis(2-chloroethoxy) methane

27. Chlorobenzene

28. 1.4-dichlorobenzene

29. Hexachlorobenzene

30. Hexachlorocyclopentadiene

31. Hexachloroethane

32. 1,2,4-trichlorobenzene

33. Alpha-BHC

34. Beta-BHC

35. Gamma-BHC



廠商會檢定中心

TEST REPORT

Report No. AZ0019090(8) Date: 12 May 2020

Application No. LZ006595(3)

Test Method APHA 21ed Cl G

> 2. TG-ENV-WW-78 (Headspace GC-MS)

> 3. TG-ENV-WW-78 (Headspace GC-MS)

> 4. TG-ENV-WW-78 (Headspace GC-MS)

> 5. TG-ENV-WW-78 (Headspace GC-MS)

TG-ENV-WW-79 (GC-ECD)

7. TG-ENV-WW-79 (GC-ECD) 8.

TG-ENV-WW-79 (GC-ECD) TG-ENV-WW-79 (GC-ECD) 9.

10. TG-ENV-WW-79 (GC-ECD)

11. TG-ENV-WW-78 (Headspace GC-MS)

12. TG-ENV-WW-78 (Headspace GC-MS)

TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-80 (GC-MS)

21. TG-ENV-WW-80 (GC-MS)

22. TG-ENV-WW-80 (GC-MS)

23. TG-ENV-WW-80 (GC-MS)

24. TG-ENV-WW-80 (GC-MS)

25. TG-ENV-WW-80 (GC-MS)

26. TG-ENV-WW-80 (GC-MS)

27. TG-ENV-WW-78 (Headspace GC-MS)

28. TG-ENV-WW-78 (Headspace GC-MS)

29. USEPA 625

30. USEPA 625

31. USEPA 625

32. USEPA 625

33. USEPA 625

34. USEPA 625

35. USEPA 625

Test Result Refer to results on page 4.



廠商會檢定中心

TEST REPORT

Report No. : AZ0019090(8) Date: 12 May 2020

Application No. : LZ006595(3)

Effluent Water Quality

Application No:.	LZ006595		
Sampling Date	21-Apr-20 to 22-Apr-20		
Monitoring Location	Chamber 15A		
Downmator	Results (mg/L)		
Parameter Total Residual Chlorine	<0.01		
Parameter	Results (µg/L)		
Bromoform	0.4		
Bromodichloromethane	0.20		
Chloroform	8.1		
Dibromochloromethane	<5		
	<2		
Bromoacetic acid Chloroacetic acid	<2 <2		
Dibromoacetic acid	2.5		
Dichloroacetic acid	11.2		
Trichloroacetic acid	4.9		
Parameter	Results (μg/L)		
Methylene chloride	<20		
Carbon tetrachloride	<0.5		
1,1-dichloroethane	<0.5		
1,2-dichloroethane	<0.5		
1,1- dichloroethylene	< 0.5		
1,2-dichloropropane	<0.5		
Tetrachloroethylene	3.9		
1,1,1-trichloroethane	<0.5		
1,1,2-trichloroethane	<0.5		
Trichloroethylene	1.1		
2-chlorophenol	<0.5		
2,4-dichlorophenol	<0.5		
p-chloro-m-cresol	<0.5		
Pentachlorophenol	<0.5		
2,4,6-trichlorophenol	<0.5		
Bis(2-chloroethoxy) methane	<0.5		
Chlorobenzene	<0.5		
1,4-dichlorobenzene	<0.5		
Hexachlorobenzene	<0.01		
Hexachlorocyclopentadiene	<2.5		
Hexachloroethane	<0.5		
1,2,4-trichlorobenzene	<0.5		
Alpha-BHC	<0.01		
Beta-BHC	<0.01		
Gamma-BHC	<0.01		

TEST REPORT

Date: 12 May 2020 Report No. AZ0019090(8)

Application No. LZ006595(3)

QC Report

Sampling Date 21-Apr-20 to 22-Apr-20

ъ.	Method Blank	Acceptance Criteria	QC Recovery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
Parameter	(mg/L)	(mg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Total Residual Chlorine	< 0.01	< 0.01	94	85-115	86	85-115	3	≤20
Parameter	Method Blank	Acceptance Criteria	QC Recoery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
ratameter	(µg/L)	(µg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Bromoform	< 0.02	< 0.02	87	80-120	91	70-130	8	≤20
Bromodichloromethane	< 0.02	< 0.02	85	80-120	83	70-130	3	≤20
Chloroform	< 0.02	< 0.02	84	80-120	89	70-130	12	≤20
Dibromochloromethane	<1	<1	86	80-120	92	70-130	9	≤20
Bromoacetic acid	< 0.4	< 0.4	105	80-120	87	70-130	5	≤20
Chloroacetic acid	< 0.4	< 0.4	97	80-120	106	70-130	5	≤20
Dibromoacetic acid	< 0.4	< 0.4	95	80-120	103	70-130	7	≤20
Dichloroacetic acid	< 0.4	< 0.4	108	80-120	88	70-130	4	≤20
Trichloroacetic acid	< 0.4	< 0.4	112	80-120	85	70-130	6	≤20
Parameter	(µg/L)	(μg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Methylene chloride	<4	<4	95	80-120	93	70-130	3	≤20
Carbon tetrachloride	< 0.1	< 0.1	103	80-120	87	70-130	9	≤20
1,1-dichloroethane	< 0.1	< 0.1	109	80-120	102	70-130	8	≤20
1,2-dichloroethane	< 0.1	< 0.1	92	80-120	97	70-130	8	≤20
1,1-dichloroethylene	< 0.1	< 0.1	95	80-120	86	70-130	5	≤20
1,2-dichloropropane	< 0.1	< 0.1	92	80-120	105	70-130	7	≤20
Tetrachloroethylene	< 0.1	< 0.1	96	80-120	95	70-130	11	≤20
1,1,1-trichloroethane	< 0.1	< 0.1	106	80-120	92	70-130	8	≤20
1,1,2-trichloroethane	< 0.1	< 0.1	90	80-120	87	70-130	6	≤20
Trichloroethylene	< 0.1	< 0.1	94	80-120	106	70-130	9	≤20
2-chlorophenol	< 0.1	< 0.1	87	80-120	93	70-130	8	≤20
2,4-dichlorophenol	< 0.1	< 0.1	105	80-120	87	70-130	7	≤20
p-chloro-m-cresol	< 0.1	< 0.1	103	80-120	102	70-130	15	≤20
Pentachlorophenol	< 0.1	< 0.1	96	80-120	97	70-130	7	≤20
2,4,6-trichlorophenol	< 0.1	< 0.1	87	80-120	96	70-130	3	≤20
Bis(2-chloroethoxy) methane	< 0.1	< 0.1	98	80-120	105	70-130	9	≤20
Chlorobenzene	< 0.1	< 0.1	111	80-120	104	70-130	8	≤20
1,4-dichlorobenzene	< 0.1	< 0.1	88	80-120	87	70-130	10	≤20
Hexachlorobenzene	< 0.005	< 0.005	91	80-120	95	70-130	7	≤20
Hexachlorocyclopentadiene	< 0.5	< 0.5	87	80-120	94	70-130	10	≤20
Hexachloroethane	< 0.1	< 0.1	102	80-120	106	70-130	6	≤20
1,2,4-trichlorobenzene	< 0.1	< 0.1	93	80-120	85	70-130	5	≤20
Alpha-BHC	< 0.005	< 0.005	103	80-120	94	70-130	10	≤20
Beta-BHC	< 0.005	< 0.005	112	80-120	113	70-130	8	≤20
Gamma-BHC	< 0.005	< 0.005	104	80-120	92	70-130	6	≤20



廠商會檢定中心 _aboratories



廠商會檢定中心

TEST REPORT

Report No. AZ0019090(8) Date: 12 May 2020

Application No. LZ006595(3)



CMA Testing and Certification Laboratories 廠商會檢定中心

TEST REPORT

Date: 08 May 2020

Page 1 of 2

Report No. AZ0019207(8)

Application No. LZ003543(4)

CMA INDUSTRIAL DEVELOPMENT FOUNDATION LIMITED ROOM 1302, YAN HING CENTRE, 9-13 WONG CHUK YEUNG STREET, FO TAN, SHATIN, N.T., HONG KONG. Applicant

Instrument : HACH Portable Colorimeter (DR300)

Serial No. 19030A000878 Date Received : 01 Apr 2020.

Test Period : 03 Apr 2020 to 07 Apr 2020.

: 06 Jul 2020 Date of next checking

Test Method : APHA 23e 4500Cl-G

Test Result : Refer to the results on page 2.

For and on behalf of CMA Industrial Development Foundation Limited

Authorized Signature:

Tang Tsz Wang

CMA Industrial Development Foundation Limited
Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: http://www

Page 6 of 7



廠商會檢定中心

TEST REPORT

Report No.

AZ0019090(8)

Date: 12 May 2020

Application No.

LZ006595(3)



CMA Testing and Certification Laboratories

廠商會檢定中心

TEST REPORT

Report No.

AZ0019207(8)

Date: 08 May 2020

Application No.

LZ003543(4)

Test Result

.

Test Item	Reference reading (mg/L)	Display Reading (mg/L)	Error of indication (%)	
Chlorine	1.00	0.97	-3	

***** End of Report *****

Page 2 of 2

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in <u>sww.crantsing.or/gar/statement-of-conformity.pdf</u>
Initia document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection services, available on greatest or accessible at whether wave_matesting.org.
This document shall not be reproduced except in full or with written approval by CMA Testing. The observations and test results in this report are relevant only to the sample tested.

CMA Industrial Development Foundation Limited
Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: http://www.cmatesting.org

Page 7 of 7

***** End of Report *****

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website www.cmatesting.org
This document shall not be reproduced except in full or with written approval by CMA Testing.

Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: http://www.cmatesting.org