

# Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities add Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Service Department

# Provision of Effluent Quality Monitoring (EQM) Services Report for the Month of Jul 2020

Contract No. : DE/2018/02

Applicant : SEWAGE TREATMENT DIVISION 2

ELECTRICAL AND MECHANICAL BRANCH DRAINAGE SERVICES DEPARTMENT

Address : STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,

NGONG SHUNG ROAD, NGONG SHUEN CHAU,

KOWLOON, HONG KONG

Application Number : LZ014562(7)

Report Number : AZ0037271(9)

Report Issued Date : 24 Aug 2020

For and on behalf of

CMA Industrial Development Foundation Limited

Authorized Signature :

Lau Yan Kin Senior Manager Environmental Division

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatesting.org">www.cmatesting.org</a>
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

### TABLE OF CONTENT

1.	Introduction	2
2.	Effluent Quality Monitoring	3 – 4
3.	Results and Observations	4
App	pendix Appendix I — Report for Laboratory Test(s)	

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatesting.org">www.cmatesting.org</a>.
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

#### **EXECUTIVE SUMMARY**

- 1. This is the water quality monitoring report prepared by CMA Testing and Certification Laboratory (CMA Testing) for Contract No. DE/2018/02 "Term Contract for Provision of Sampling and analysing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department (2018-2020)". This report documented the results and findings of Operation Phase Environmental Monitoring works conducted for Effluent Quality Monitoring (EQM) of Project in July 2020.
- 2. In accordance with the Final EM&A Manual, environmental monitoring has been conducted in the reporting month with a Quarterly Basis for various parameters as summarized in **Table I**.

Table I Summary Table for Environmental Monitoring Works Conducted in the Reporting Month

<b>Monitoring Parameters</b>	Monitoring Date	<b>Laboratory Testing Parameters</b>
Effluent Quality	30 Jul 2020 to 31 Jul 2020	Total Residual Chlorine (TRC) Chlorination by-products (CBPs) and Contaminants of Concern (COCs)



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

#### 1. INTRODUCTION

- 1.1. CMA Testing was commissioned by Drainage Services Department (DSD) to undertake the operation phase environmental monitoring for Advance Disinfection Facilities (ADF) at Stonecutters Island Sewage Treatment Works (SCISTW) (thereafter called the "the Services").
- 1.2. The operation phase monitoring, which include effluent quality monitoring, marine water quality monitoring and emergency discharge monitoring, is to monitor the effluent and marine water quality impact of ADF during its operation phase.
- 1.3. This is the water quality monitoring report prepared by CMA Testing that documented the results and findings of Operation Phase Water Quality Monitoring works conducted for Effluent Quality Monitoring (EQM) of Project on 30 Jul 2020 to 31 Jul 2020.



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

#### 2. EFFLUENT QUALITY MONITORING

#### **Monitoring Requirements**

- 2.1. Effluent samples were collected at Disinfection Facilities in a full 24-hour period. 24-hour flow weighted composite effluent samples for subsequent chemical analysis and testing were prepared by CMA according to the following procedures:
  - Collect effluent sub-sample by direct grab sampling method at bi-hourly interval over a 24 hour period;
  - Obtain flow record of Stonecutters Island Sewage Treatment Works (SCISTW) for the 24-hour sampling period;
  - Calculate the volume of each sub-sample for preparation the bi-hourly of 24 hour flow-weighted composite samples; and
  - Transfer the appropriate the volume of sub-samples to a clean container and mix thoroughly.
- 2.2. Bi-hourly of 24-hour composite sample for Total Residual Chloride (TRC), Chlorination By-Products (CBPs) and Contaminants of Concern (COCs) tests shall be performed quarterly throughout the contract period.

#### **Monitoring Location**

2.3. The sampling locations for effluent from SCISTW were collected at the Disinfection Facilities

#### **Monitoring Schedule**

2.4. The effluent quality monitoring was conducted between the time periods of 10:00am 30 Jul 2020 to 10:00am of 31 Jul 2020 in the reporting month. Collection of marine water samples were within the time period of effluent quality monitoring was to be collected.

#### **Laboratory Measurement / Analysis**

2.5. In the reporting month, the bi-hourly of 24-hour flow-weighted composite effluent sample was collected for subsequent laboratory analysis and testing on TRC, CBPs and COCs as shown in **Table 2.1.** 



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

Table 2.1 Analytical Methods for Laboratory Analysis for Effluent Samples

Parameters	;	Analytical Method	Limit of Reporting (µg/L)	
	TRC and	Potential CBPs		
Total residual Chlorine		APHA 21ed 4500 Cl G	10	
Bromoform			0.1	
Bromodichloromethane	Tri-	TG-ENV-WW-78	0.1	
Chloroform	halomethanes	(Headspace GC-MS)	0.1	
Dibromochloromethane	(THMs)	<u>-</u>	5	
Bromoacetic acid			2	
Chloroacetic acid	** 1	TC FNN NW 70	2	
Dibromoacetic acid	Haloacetic	TG-ENV-WW-79	2	
Dichloroacetic acid	Acids (HAAs)	(GC-ECD)	2	
Trichloroacetic acid			2	
	Contaminants	s of Concern (COCs)	•	
Methylene chloride	Halogenated	,	20	
Carbon tetrachloride	Aliphatics		0.5	
1,1-dichloroethane			0.5	
1,2-dichloroethane			0.5	
1,1-dichloroethylene		TG-ENV-WW-78	0.5	
1,2-dichloropropane		(Headspace GC-MS)	0.5	
Tetrachloroethylene			0.5	
1,1,1-trichloroethane	Halogenated		0.5	
1,1,2-trichloroethane	Aliphatics		0.5	
Trichloroethylene			0.5	
2-chlorophenol			0.5	
2,4-dichlorophenol			0.5	
p-chloro-m-cresol	Phenols	TG-ENV-WW-80	0.5	
Pentachlorophenol	& Haloethers	(GC-MS)	0.5	
2,4,6-trichlorophenol	& Haloculets	(GC-MS)	0.5	
Bis(2-chloroethoxy)			0.5	
methane			0.3	
Chlorobenzene		TG-ENV-WW-78	0.5	
1,4-dichlorobenzene		(Headspace GC-MS)	0.5	
Hexachlorobenzene	Chlorinated		0.01	
Hexachlorocyclopentadiene	Hydrocarbons		2.5	
Hexachloroethane	&		0.5	
1,2,4-trichlorobenzene	Organochlorine	USEPA 625	0.5	
Alpha-BHC	Pesticides		0.01	
Beta-BHC			0.01	
Gamma-BHC			0.01	

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatesting.org">www.cmatesting.org</a>
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

#### 3. RESULTS AND OBSERVATIONS

#### **Effluent Quality**

3.1. The results of effluent quality monitoring conducted on the time period of 10:00am 30 Jul 2020 to 10:00am of 31 Jul 2020, whereas the laboratory testing and QC report are shown in **Appendix I-Report no. AZ0037269(5).** 



廠商會檢定中心

Report No.: AZ0037271(9)

Term Contract for Provision of Sampling and Analyzing of Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and Outlying Islands to the Drainage Services Department

**Appendix I - Report for Laboratory Test(s)** 



廠商會檢定中心

### **TEST REPORT**

Report No. : AZ0037269(5) Date: 24 Aug 2020

Application No. : LZ014562(7)

Applicant : SEWAGE TREATMENT DIVISION 2

ELECTRICAL AND MECHANICAL BRANCH

DRAINAGE SERVICES DEPARTMENT

STONECUTTERS ISLAND SEWAGE TREATMENT WORKS.,

NGONG SHUNG ROAD, NGONG SHUEN CHAU,

KOWLOON, HONG KONG

Contract No. : DE/2018/02

Project Name : Term Contract for Provision of Sampling and Analyzing of

Wastewater and Sludge Samples for Various Sewage Treatment Facilities and Marine Water Samples in Urban Area, Lantau and

Outlying Islands to the Drainage Services Department

Sample Description : One (1) wastewater sample sampled by the staff of CMA Industrial

Development Foundation Limited.

Sample was refrigerated during delivery.

Sample ID : Refer to Sample ID on page 4.

Sampling Location : SCISTW- Disinfection Facilities

Sampling Date : 30 Jul 2020 to 31 Jul 2020.

Date Received : 31 Jul 2020.

Test Period : 31 Jul 2020 to 19 Aug 2020.

For and on behalf of

CMA Industrial Development Foundation Limited

Page 1 of 7

Authorized Signature:

Lad Yan Kin Senior Manager Environmental Division

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatesting.org">www.cmatesting.org</a>
This document shall not be reproduced except in full or with written approval by CMA Testing.



廠商會檢定中心

### **TEST REPORT**

Report No. AZ0037269(5) Date: 24 Aug 2020

Application No. LZ014562(7)

Test Requested Total Residual Chlorine

Bromoform

3. Bromodichloromethane

4. Chloroform

5. Dibromochloromethane

6. Bromoacetic acid

7. Chloroacetic acid

8. Dibromoacetic acid

9. Dichloroacetic acid

10. Trichloroacetic acid

11. Methylene chloride

12. Carbon tetrachloride

13. 1,1-dichloroethane

14. 1,2-dichloroethane

15. 1,1-dichloroethylene

13. 1,1-dichloroethylene
16. 1,2-dichloropropane
17. Tetrachloroethlyene
18. 1,1,1-trichloroethane
19. 1,1,2-trichloroethane
20. Trichloroethylene

21. 2-chlorophenol

22. 2,4-dichlorophenol

23. p-chloro-m-cresol

24. Pentachlorophenol

25. 2,4,6-trichlorophenol

26. Bis(2-chloroethoxy) methane

27. Chlorobenzene

28. 1,4-dichlorobenzene

29. Hexachlorobenzene

30. Hexachlorocyclopentadiene

31. Hexachloroethane

32. 1,2,4-trichlorobenzene

33. Alpha-BHC

34. Beta-BHC

35. Gamma-BHC



廠商會檢定中心

### **TEST REPORT**

Report No. AZ0037269(5) Date: 24 Aug 2020

Application No. LZ014562(7)

Test Method APHA 21ed Cl G

> 2. TG-ENV-WW-78 (Headspace GC-MS)

> 3. TG-ENV-WW-78 (Headspace GC-MS)

> 4. TG-ENV-WW-78 (Headspace GC-MS)

> 5. TG-ENV-WW-78 (Headspace GC-MS)

TG-ENV-WW-79 (GC-ECD)

7. TG-ENV-WW-79 (GC-ECD)

8. TG-ENV-WW-79 (GC-ECD)

TG-ENV-WW-79 (GC-ECD) 9. 10. TG-ENV-WW-79 (GC-ECD)

11. TG-ENV-WW-78 (Headspace GC-MS)

12. TG-ENV-WW-78 (Headspace GC-MS)

TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-78 (Headspace GC-MS)
 TG-ENV-WW-80 (GC-MS)

21. TG-ENV-WW-80 (GC-MS)

22. TG-ENV-WW-80 (GC-MS)

23. TG-ENV-WW-80 (GC-MS)

24. TG-ENV-WW-80 (GC-MS)

25. TG-ENV-WW-80 (GC-MS)

26. TG-ENV-WW-80 (GC-MS)

27. TG-ENV-WW-78 (Headspace GC-MS)

28. TG-ENV-WW-78 (Headspace GC-MS)

29. USEPA 625

30. USEPA 625

31. USEPA 625

32. USEPA 625

33. USEPA 625 34. USEPA 625

35. USEPA 625

Test Result Refer to results on page 4.



廠商會檢定中心

### **TEST REPORT**

Report No. : AZ0037269(5) Date: 24 Aug 2020

Application No. : LZ014562(7)

#### **Effluent Water Quality**

Application No:.	LZ014562
Sampling Date	30-Jul-20 to 31-Jul-20
Monitoring Location	Chamber 15A
Parameter	Results (mg/L)
Total Residual Chlorine	< 0.01
Parameter	Results (µg/L)
Bromoform	0.30
Bromodichloromethane	0.10
Chloroform	6.9
Dibromochloromethane	<5
Bromoacetic acid	<2
Chloroacetic acid	<2
Dibromoacetic acid	4.0
Dichloroacetic acid	14.9
Trichloroacetic acid	7.7
Parameter	Results (µg/L)
Methylene chloride	<20

Themoroucette dela	7.7	
Parameter	Results (µg/L)	
Methylene chloride	<20	
Carbon tetrachloride	< 0.5	
1,1-dichloroethane	< 0.5	
1,2-dichloroethane	< 0.5	
1,1- dichloroethylene	< 0.5	
1,2-dichloropropane	< 0.5	
Tetrachloroethylene	3.9	
1,1,1-trichloroethane	< 0.5	
1,1,2-trichloroethane	< 0.5	
Trichloroethylene	0.7	
2-chlorophenol	< 0.5	
2,4-dichlorophenol	< 0.5	
p-chloro-m-cresol	< 0.5	
Pentachlorophenol	< 0.5	
2,4,6-trichlorophenol	< 0.5	
Bis(2-chloroethoxy) methane	< 0.5	
Chlorobenzene	< 0.5	
1,4-dichlorobenzene	< 0.5	
Hexachlorobenzene	< 0.01	
Hexachlorocyclopentadiene	<2.5	
Hexachloroethane	< 0.5	
1,2,4-trichlorobenzene	< 0.5	
Alpha-BHC	< 0.01	
Beta-BHC	< 0.01	
Gamma-BHC	< 0.01	

## **TEST REPORT**

Report No. Date: 24 Aug 2020 AZ0037269(5)

Application No. LZ014562(7)

**QC** Report

Sampling Date 30-Jul-20 to 31-Jul-20

Sampling Date		Jul-20 to 31	-Jui-20					
_	Method Blank	Acceptance Criteria	OC Recovery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
Parameter	(mg/L)	(mg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Total Residual Chlorine	< 0.01	< 0.01	108	85-115	89	85-115	6	≤20
	Method Blank	Acceptance Criteria	QC Recoery	Acceptance Criteria	Spike Recovery	Acceptance Criteria	Duplicate (RPD)	Acceptance Criteria
Parameter	(µg/L)	(µg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Bromoform	< 0.02	< 0.02	92	80-120	84	70-130	3	≤20
Bromodichloromethane	< 0.02	< 0.02	87	80-120	91	70-130	7	≤20
Chloroform	< 0.02	< 0.02	105	80-120	86	70-130	6	≤20
Dibromochloromethane	<1	<1	109	80-120	103	70-130	4	≤20
Bromoacetic acid	< 0.4	< 0.4	94	80-120	115	70-130	5	≤20
Chloroacetic acid	< 0.4	< 0.4	107	80-120	96	70-130	6	≤20
Dibromoacetic acid	< 0.4	< 0.4	110	80-120	82	70-130	8	≤20
Dichloroacetic acid	< 0.4	< 0.4	106	80-120	106	70-130	7	≤20
Trichloroacetic acid	< 0.4	< 0.4	91	80-120	87	70-130	7	≤20
Parameter	(µg/L)	(µg/L)	(%)	(%)	(%)	(%)	(%)	(%)
Methylene chloride	<4	<4	83	80-120	96	70-130	4	≤20
Carbon tetrachloride	< 0.1	< 0.1	86	80-120	85	70-130	6	≤20
1,1-dichloroethane	< 0.1	< 0.1	97	80-120	112	70-130	8	≤20
1,2-dichloroethane	< 0.1	< 0.1	103	80-120	80	70-130	2	≤20
1,1-dichloroethylene	< 0.1	< 0.1	86	80-120	83	70-130	9	≤20
1,2-dichloropropane	< 0.1	< 0.1	106	80-120	102	70-130	7	≤20
Tetrachloroethylene	< 0.1	< 0.1	108	80-120	97	70-130	4	≤20
1,1,1-trichloroethane	< 0.1	< 0.1	91	80-120	88	70-130	3	≤20
1,1,2-trichloroethane	< 0.1	< 0.1	107	80-120	87	70-130	6	≤20
Trichloroethylene	< 0.1	< 0.1	95	80-120	110	70-130	8	≤20
2-chlorophenol	< 0.1	< 0.1	83	80-120	105	70-130	8	≤20
2,4-dichlorophenol	< 0.1	< 0.1	87	80-120	78	70-130	4	≤20
p-chloro-m-cresol	< 0.1	< 0.1	94	80-120	84	70-130	9	≤20
Pentachlorophenol	< 0.1	< 0.1	102	80-120	113	70-130	3	≤20
2,4,6-trichlorophenol	< 0.1	< 0.1	106	80-120	89	70-130	6	≤20
Bis(2-chloroethoxy) methane	< 0.1	< 0.1	84	80-120	92	70-130	8	≤20
Chlorobenzene	< 0.1	< 0.1	93	80-120	98	70-130	7	≤20
1,4-dichlorobenzene	< 0.1	< 0.1	82	80-120	102	70-130	7	≤20
Hexachlorobenzene	< 0.005	< 0.005	87	80-120	109	70-130	3	≤20
Hexachlorocyclopentadiene	< 0.5	< 0.5	87	80-120	113	70-130	5	≤20
Hexachloroethane	< 0.1	< 0.1	104	80-120	87	70-130	4	≤20
1,2,4-trichlorobenzene	< 0.1	< 0.1	109	80-120	103	70-130	6	≤20
Alpha-BHC	< 0.005	< 0.005	85	80-120	86	70-130	6	≤20
Beta-BHC	< 0.005	< 0.005	93	80-120	88	70-130	7	≤20
Gamma-BHC	< 0.005	< 0.005	110	80-120	104	70-130	9	≤20





廠商會檢定中心

### **TEST REPORT**

Report No.

AZ0037269(5)

Date: 24 Aug 2020

Application No.

LZ014562(7)



CMA Testing and Certification Laboratories

廠商會檢定中心

#### **TEST REPORT**

Report No.

AZ0037382(1)

Date: 06 Jul 2020

Application No.

LZ003543(4)

Applicant

CMA INDUSTRIAL DEVELOPMENT FOUNDATION LIMITED ROOM 1302, YAN HING CENTRE, 9-13 WONG CHUK YEUNG STREET, FO TAN, SHATIN, N.T., HONG KONG.

Instrument

: HACH Portable Colorimeter (DR300)

Serial No.

19030A000878 02 Jul 2020.

Date Received

02 Jul 2020 to 03 Jul 2020.

Test Period Date of next checking

: 01 Oct 2020

Test Method

: APHA 23e 4500Cl-G

Test Result

: Refer to the results on page 2.

CMA Industrial Development Foundation Limited

Authorized Signature

Page 1 of 2

Tang Tsz Wang Manager

CMA Industrial Development Foundation Limited
Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: http://www.cmatesting.org

Page 6 of 7



廠商會檢定中心

### **TEST REPORT**

Report No. : AZ0037269(5) Date: 24 Aug 2020

Application No. : LZ014562(7)



CMA Testing and Certification Laboratories 廠商會檢定中心

**TEST REPORT** 

Date: 06 Jul 2020

Report No. : AZ0037382(1)

LZ003543(4)

Test Result

Application No.

Test Item	Reference reading (mg/L)	Display Reading (mg/L)	Error of indication (%)
Chlorine	1.00	1.01	1

\*\*\*\* End of Report \*\*\*\*

Page 2 of 2

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in <a href="https://www.cmatesting.org/qac/statement-of-conformity.pdf">www.cmatesting.org/qac/statement-of-conformity.pdf</a>
This document is issued subject to the latest CMA Testing General Terms and Conditions of Festing and Inspection Services, available on request or accessible at website <a href="https://www.cmatesting.org/">www.cmatesting.org/</a>
This document shall not be reproduced except in full or with written approval by CMA Testing. The observations and test results in this request not not redevat not by the sample tested.

CMA Industrial Development Foundation Limited
Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.
Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatesting.org Web Site: http://www.cmatesting.org

Page 7 of 7

\*\*\*\*\* End of Report \*\*\*\*\*

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="https://www.cmatesting.org">www.cmatesting.org</a>. This document shall not be reproduced except in full or with written approval by CMA Testing.